

The background of the page is a high-resolution photograph of a vast field of clams on a beach. The clams are densely packed, filling the entire frame. They exhibit a variety of colors, including shades of brown, tan, grey, and white, with some showing distinct patterns or spots. The lighting is natural, highlighting the textures of the shells and the overall abundance of the shellfish.

**IX.**  
**SOURCES**  
**CITED**

- Abookire, A.A., J.F. Piatt, and M.D. Robards, 2000. Nearshore fish distributions in an Alaskan estuary in relation to stratification, temperature and salinity. *Estuarine Coastal and Shelf Science*, 51, 45-59.
- Adey, W.H., and R.S. Steneck, 2001. Thermogeography over time creates biogeographic regions: a temperature/space/time-integrated model and an abundance-weighted test for benthic marine algae. *Journal of Phycology*, 37, 677-698.
- Aebischer, N.J., J.C. Coulson, and J.M. Colebrook, 1990. Parallel long-term trends across four marine trophic levels and weather. *Nature*, 347, 753-755.
- Agler, B.A., R.I. Schooley, S.E. Frohock, S.K. Katona, and I.E. Seipt, I.E., 1993. Reproduction of photographically identified fin whales, *Balaenopteran physulus*, from the Gulf of Maine. *Journal of Mammalogy*, 74, 577-587.
- Ainley, D.G., 1980. Birds as marine organisms: a review. In: *Pelagic Distributions of Marine Birds off the Northeastern United States* (CalCOFI Report, 21, 48-52). NOAA Technical Memorandum NMFS-F/NEC-27, Woods Hole, MA.
- Algonquin (Algonquin Gas Transmission Company and Duke Energy LLC), 2000. Environmental Report Accompanying FERC Section 7C Application. Resource Report 2. HubLine Project, Beverly to Weymouth, Massachusetts. October 2, 2000.
- Algonquin, 2005. Environmental Report, Accompanying FERC Section 7c Application. Filed with the FERC License Application for the Northeast Gateway Project.
- Allen, G.R. and R. Steene, R., 1999. Indo-Pacific Coral Reef Field Guide. Tropical Reef Research, Singapore.
- Alverson, D., M. Freeberg, S. Murawski, and J. Pope, 1994. A global assessment of fisheries bycatch and discards. FAO Fisheries Technical Paper 339, Food and Agriculture Organization of the United Nations, Rome, Italy. 233 pp.
- Alverson, D. and S. Hughes, 1996. Bycatch: from emotion to effective natural resource management. *Reviews in Fish Biology and Fisheries*, 6, 443-462.
- American Bird Conservancy, 2004. ABC Green List. American Bird Conservancy, The Plains, VA. Available from <http://www.abcbirds.org/greenlist.htm> (accessed March 2005).
- Amott, S.A. and L. Pihl, L., 2000. Selection of prey size and prey species by I-group cod *Gadus morhua*: effects of satiation level and prey handling times. *Marine Ecology-Progress Series*, 198, 225-238.
- Anderson, J.G.T. and C.M. Devlin, 1999. Restoration of a multi-species seabird colony. *Biological Conservation*, 90, 175-181.
- Anderson, J.L. and R.S. Gregory, 2000. Factors regulating survival of northern cod (NAFO 2J3KL) during their first 3 years of life. *ICES Journal of Marine Science*, 57, 349-359.
- Andrew, R. K., B.M. Howe, J.A. Mercer and M.A. Dzieciuch, 2002. Ocean ambient sound: comparing the 1960s with the 1990s for a receiver off the California coast. *Acoustics Research Letters Online (ARLO)*, 3, 65-70.
- Annual Newsletter of the Atlantic Large Whale Disentanglement Network, Presentations and Publications from the Network. 16th Biennial Conference on the Biology of Marine Mammals, 12-16 December, 2005, San Diego, CA.
- Arkema, K.K., S.C. Abramson, and B.M. Dewsbury, 2006. Marine ecosystem-based management: from characterization to implementation. *Frontiers in Ecology and the Environment*, 4, 525-532.
- Auster, P.J., R.J. Malatesta, S.C. LaRosa, R.A. Cooper, and L.L. Stewart, L.L., 1991. Microhabitat utilization by the megafaunal assemblage at a low relief outer continental shelf site – Middle Atlantic Bight, USA. *Journal of Northwest Atlantic Fisheries Science*, 11, 59-69.
- Auster, P.J., R.J. Malatesta, R.W. Langton, L. Watling, P.C. Valentine, C.L.S. Donaldson, E.W. Langton, A.N. Shepard, and I.G. Babb, 1996. The impacts of mobile fishing gear on seafloor habitats in the Gulf of Maine (northwest Atlantic): Implications for conservation of fish populations. *Reviews in Fisheries Science*, 4, 185-202.
- Auster, P.J., R.J. Malatesta, and C.L.S. Donaldson, 1997. Distributional responses to small-scale habitat variability by early juvenile silver hake, *Merluccius bilinearis*. *Environmental Biology of Fishes*, 50, 195-200.
- Auster, P.J., 1998. Species profile: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrate: Tautog and Cunner. Performed for coastal ecology group, United States Army Corps of Engineers, Waterways. United States Department of Interior, Fish and Wildlife Service, Research and Development, National Wetlands Research. Washington, DC and Vicksburg, VA.
- Auster, P.J., C. Michalopoulos, P.C. Valentine, and R.J. Malatesta, 1998. Delineating and monitoring habitat management units in a temperate deep-water marine protected area. In: *Science & Management of Protected Areas Association*, Wolfville, NS, Canada, 169-185.
- Auster, P.J. and R. Langton, 1999. The effects of fishing on fish habitat. *American Fisheries Society Symposium*, 22, 150-187.
- Auster, P.J. and N.L. Shackell, 2000. Marine protected areas for the temperate and boreal Northwest Atlantic: the potential for sustainable fisheries and conservation of biodiversity. *Northeastern Naturalist*, 7, 419-434.
- Auster, P.J., 2001. Defining thresholds for precautionary habitat management actions in a fisheries context. *North American Journal of Fisheries Management*, 21, 1-9.
- Auster, P.J., K. Joy, and P.C. Valentine, 2001. Fish species and community distributions as proxies for seafloor habitat distributions: the Stellwagen Bank National Marine Sanctuary Example (Northwest Atlantic Gulf of Maine). *Environmental Biology of Fishes*, 60, 331-346.
- Auster, P.J., 2002. Representation of biological diversity of the Gulf of Maine Region at Stellwagen Bank National Marine Sanctuary (Northwest Atlantic): Patterns of Fish Diversity and Assemblage Composition. *Managing Protected Areas in a Changing World*. S. Bondrup-Nielson *et al.*, eds., Science and Management of Protected Areas Association, Wolfville, NS, Canada, 1096-1125.
- Auster, P.J., J. Lindholm, and P.C. Valentine, 2003a. Variation in habitat use by juvenile Acadian redfish, *Sebastes fasciatus*. *Environmental Biology of Fishes*, 68, 381-389.
- Auster, P.J., J. Lindholm, S. Schaub, G. Funnell, L.S. Kaufman, and P.C. Valentine, 2003b. Use of sand wave habitats by silver hake. *Journal of Fish Biology*, 62, 143-152.
- Auster, P.J., 2004. Biological Diversity at Stellwagen Bank National Marine Sanctuary. Presented at the Stellwagen Bank National Marine Sanctuary Ecosystem Alteration Working Group Meeting. Boston, MA, April 26-27.
- Auster, P.J., 2005. Are deep-water coral important habitats for fishes? In: *Cold-water Corals and Ecosystems*. Freiwald A.

- and J.M. Roberts, eds., Springer-Verlag, Berlin, Heidelberg, p. 747-760.
- Auster, P.J. and J. Lindholm, 2005. The ecology of fishes on deep boulder reefs in the western Gulf of Maine. In: *Diving For Science 2005. Proceedings of the American Academy of Underwater Sciences*, Connecticut Sea Grant, Groton, CT, p. 89-107.
- Auster, P.J., R. Clark, and R.E.S. Reed, 2006. Marine Fishes. In: *An Ecological Characterization of Stellwagen Bank National Marine Sanctuary Region (Chapter 3)*. National Center for Coastal Ocean Science, NOAA Technical Memorandum, Silver Spring, MD.
- Auster, P.J. and J. Link, in preparation. Compensation and recovery of feeding guilds in a northwest Atlantic shelf fish community. To be submitted to *Marine Ecology Progress Series*.
- Bachere, E. and H. Grizel, 1982. Study of *Haplosporidium* sp. (*Haplosporida-Haplosporidae*) parasite of the oyster *Ostrea edulis*. *Revue des Travaux de l'Institut des Pêches Maritimes*, 46, 226-232.
- Baker, S., 1998. Behavioral response of humpback whales to vessels in Glacier Bay. In: *Proceedings of the Workshop to Review and Evaluate Whale Watching Programs and Management Needs*, 14-16 November, Monterey, CA.
- Balch, W.M., 1981. An Apparent Lunar Tidal Cycle of Phytoplankton blooming and community Succession in the Gulf of Maine. *Journal of Experimental Marine Biology and Ecology*, 55, 65-77.
- Balch, W.M., P.M. Holligan, and K.A. Kilpatrick, 1992. Calcification, photosynthesis and growth of the bloom-forming coccolithophore, *Emiliania huxleyi*. *Continental Shelf Research*, 12, 1353-1374.
- Ball, B., G. Fox, and B. Munday, 1999. Long and short term consequences of a Nephrops otter trawl fishery on the benthos and environment of the Irish Sea. *ICES Journal of Marine Science*, 57, 1315-1320.
- Ballance, L.T., D.G. Ainley, and G.L. Hunt, Jr., 2001. "Seabird Foraging Ecology". In: *Encyclopedia of Ocean Sciences*. J.H. Steele, S.A. Thorpe and K.K. Turekian, eds., vol. 5, Academic Press, London, United Kingdom, p. 2636-2644.
- Baraff, L.S., P.J. Clapham, D.K. Mattila, and R.S. Bowman, 1991. Feeding-behavior of a humpback whale in low-latitude waters. *Marine Mammal Science*, 7, 197-202.
- Barber, R., 1979. Archeology and Palaenotology, Summary and Analysis of Cultural Resources Information on the Continental Shelf from the Bay of Fundy to Cape Hatteras, Final Report. Institute for Conservation Archaeology, Harvard University, Cambridge, Massachusetts.
- Barnes, R.D., 1974. *Invertebrate Zoology*. W.B. Saunders, Company., Philadelphia, PA. 870 pp.
- Barnes, P.W. and J.P. Thomas, eds., 2005. Benthic Habitats and the Effects of Fishing. *American Fisheries Society Symposium* 41, Bethesda, MD. 890 pp.
- Battelle Ocean Sciences, 1987. Draft Environmental Impact Report for the Identification of Dredged Material Deposal Sites in Cape Cod Bay, Massachusetts. Prepared under contract to Massachusetts Department of Environmental Management, Division of Waterways.
- Beach, D.W., and M.T. Weinrich, 1989. Watching the whales: Is an educational adventure for humans turning out to be a threat for an endangered species? *Oceanus*, 32, 84-88.
- Benfield, M.C. and P.H. Wiebe, 2003. Zooplankton sampling with nets and trawls. In: *Encyclopedia of Ocean*, p. 3237-3252.
- Berkeley, S.A., C. Chapman, and S.M. Sogard, 2004a. Maternal Age as a Determinant of Larval Growth and Survival in a Marine Fish, *Sebastes Melanops*. *Ecology*, 85, 1258-1264.
- Berkeley, S.A., M.A. Hixon, R.J. Larson, and M.S. Love, 2004b. Fisheries Sustainability via Protection of Age Structure and Spatial Distribution of Fish Populations. *Fisheries*, 29, 23-32.
- Bertrand, S., A. Bertrand, R. Guevara-Carrasco, and F. Gerlotto, 2007. Scale-invariant movements of fishermen: The same foraging strategy as natural predators. *Ecological Applications*, 17(2), 331-337.
- Best, E.P.H., J.W. Barko, 2001. Sediment transport – congresses aquatic plants – modeling sediment resuspension, water quality and submersed aquatic vegetation: proceeding of a workshop held in New Orleans, LA. *Hydrobiologia*, 444, 1-84 (Special Edition), p. 85-241 (Regular Edition).
- Bigelow, H.B., 1924. Plankton of the offshore waters of the Gulf of Maine. *Bulletin of the United States Bureau of Fisheries*, 40, 1-509.
- Bird Life International, 2004. Species factsheet: *Puffinus gravis*. Birdlife International, Cambridge, UK. Available from <http://birdlife.net> (accessed March 2005).
- Birkeland, C., and P.K. Dayton, 2005. The importance in fishery management of leaving the big ones. *Trends in Ecology and Evolution*, 20, 356-358.
- Bleakney, J.S., 1996. Sea slugs of Atlantic Canada and the Gulf of Maine. Nimbus Publishers and Nova Scotia Museum, Halifax, NS, Canada. 216 pp.
- Blumberg, A.F., R.P. Signell, and H.L. Jenter, 1993. Modeling transport processes in the coastal ocean. *Journal of Marine Environmental Engineering*, 1, 31-52.
- Blyth, R.E., M.J. Kaiser, G. Edwards-Jones, and P.J.B. Hart, 2004. Implications of a zoned fishery management system for marine benthic communities. *Journal of Applied Ecology*, 41, 951-961.
- Boczar-Karakiewicz, B., J.L. Bona, and B. Pelchat, 1991. Interaction of internal waves with the seabed on continental shelves. *Continental Shelf Research*, 11, 1181-1197.
- Bolster, W.J., 2008. Putting the ocean in Atlantic history: maritime communities and marine ecology in the Northwest Atlantic, 1500-1800. *The American Historical Review*, 113, 19-47.
- Borg, A., L. Pihl, and H. Wennhage, 1997. Habitat choice by juvenile cod (*Gadus morhua* L.) on sandy soft bottoms with different vegetation types. *Helgolander Meeresuntersuchungen*, 51, 197-212.
- Bothner, M.H., M. Buchholtz, U. ten Brink, C.M. Parmenter, W.M. D'Angelo, and M.W. Doughten, 1993. The distribution of silver and other metals in sediments from Massachusetts and Cape Cod Bays - an interim compilation. U.S. Geological Survey Open-File Report 93-725.
- Bothner, M.H., M. Buchholtz, U. ten Brink, B. Butman, H.J. Knebel, F.T. Manheim, and R.P. Signell, 1994. Circulation and contaminant transport in Massachusetts coastal waters; achievements and future plans. U.S. Geological Survey Open-File Report 94-649.
- Bothner, M.H. and B. Butman, eds., 2007. Processes influencing the transport and fate of contaminated sediments in the coastal ocean - Boston Harbor and Massachusetts Bay.

- U.S. Geological Survey Circular 1302, 89 pp. Also on line at: <http://pubs.usgs.gov/circ/2007/1302/>
- Bowman, T.E. and L.G. Abele, 1982. Classification of the recent Crustacea. In: *The biology of Crustacea*, Vol. 1, D.E. Bliss and L.G. Abele, eds., New York Academic Press. p. 1-27.
- Bowman, M.J., C.M. Yentsch, and W.T. Peterson, 1986. *Tidal Mixing and Plankton Dynamics*. Springer-Verlag, New York, NY. 502 pp.
- Branch, T.A. R. Hillborn, and E. Bogazzi, 2005. Escaping the tyranny of the grid: a more realistic way of defining fishing opportunities. *Canadian Journal of Fisheries and Aquatic Science*, 62, 631-642.
- Brickley, P., 1994. Wind stress and subtidal circulation in Massachusetts and Cape Cod Bay. Master's Thesis, University of Maine, Orono, Maine.
- Brown B.E. and M.M. McBorde, 1980. The status of the marine fishery resource of the northeastern United States. Woods Hole MA; United States Department of Commerce, National Oceanic and Atmospheric Administration, NMFA-NEFC Springfield, VA. National Technical Information Service.
- Brown, J., A. Colling, D. Park, J. Phillips, D. Rothery, and J. Wright, 1989. *Waves, tides and shallow-water processes*. Pergamon Press, Oxford, United Kingdom. 187 pp.
- Brown, R.G.B., 1973. The transatlantic migration of European arctic Fulmars, *Fulmarus glacialis*. *Canadian Field-Naturalist*, 87, 312-313.
- Brown, R.G.B., 1979. Seabirds of the Senegal upwelling and adjacent waters. *Ibis*, 121, 292-293.
- Brown, R.G.B., 1988. The wing-moult of fulmars and shearwaters (*Procellariidae*) in Canadian Arctic waters. *Canadian Field-Naturalist*, 102, 203-208.
- Brown, R.G.B., 1990. The wing-moult of Cory's Shearwater, *Calonectris diomedea*, off Nova Scotia. *Canadian Field-Naturalist*, 104, 306-307.
- Brown, R.G.B., 1991. Marine birds and climatic warming in the northwest Atlantic. In: *Studies of High Latitude Seabirds 1: Behavioural, Energetic and Oceanographic Aspects of Seabird Feeding Ecology*. W.A. Montevecchi and A.J. Gaston, eds., Canadian Wildlife Service Occasional Paper 68.
- Bullard, S.G., G. Lambert, M.R. Carman, J. Byrnes, and R.B. Whitlatch *et al.*, 2007. The colonial ascidian *Didemnum* sp. A: Current distribution, basic biology and potential threat to marine communities of the northeast and west coasts of North America. *Journal of Experimental Marine Biology and Ecology*, 342, 99-108.
- Bumpus, D. F., 1973. A description of the circulation on the continental shelf of the East Coast of the United States. *Progress in Oceanography*, 6, 111-157.
- Bundy, A., 2001. Fishing on ecosystems: the interplay of fishing and predation in Newfoundland-Labrador. *Canadian Journal of Fisheries and Aquatic Sciences*, 58, 1153-1167.
- Burger, J., I.C.T. Nisbet, and M. Gochfeld, 1994. Heavy metal and selenium levels in feathers of known-ages common terns (*Sterna hirundo*). *Archives of Environmental Contamination and Toxicology*, 26, 351-355.
- Burger, J. and M. Gochfeld. 2002. Effects of chemicals and pollution on seabirds. In: *Biology of Marine Birds*. E. A. Schreiber and J. Burger, eds., CRC Press, Boca Raton, FL, p. 485-525.
- Burness, G.P. and W.A. Montevecchi, 1992. Oceanographic-related variation in the bone sizes of Great Auks. *Polar Biology*, 11, 545-551.
- Bush, L.F. 1981. Marine flora and fauna of the northeastern United States. Turbellaria: Acoela and Nemertodermatida. NOAA Technical Report, NMFS Circular 440, 70 pp.
- Butman, B., 1975. On the dynamics of shallow water currents in Massachusetts Bay and the New England Continental Shelf. PhD Thesis, Massachusetts Institute of Technology, Cambridge, MA, and Woods Hole Oceanographic Institution, Woods Hole, MA.
- Butman, B., 1976. Hydrography and low-frequency currents associated with the spring runoff in Massachusetts Bay. *Mémoires Société Royale des Sciences de Liège*, 6, 247-275.
- Butman, B., and M.N. Bothner, 1997. Predicting the long-term fate of sediments and contaminants in Massachusetts Bay. U.S. Geological Survey Fact Sheet FS 172-97, 6 pp. <http://pubs.usgs.gov/fs/fs172-97/fs172-97.pdf>.
- Butman, B., M.H. Bothner, F.L. Lightsom, B.T. Gutierrez, P.S. Alexander, M.A. Martini, and W.S. Strahle, 2002. Long-term oceanographic observations in western Massachusetts Bay offshore of Boston, Massachusetts: Data Report for 1989-2000, United States Geological Survey Digital Data Series. DDS-74. Woods Hole, MA. United States Geological Survey, Woods Hole Field Center, DVD-ROM.
- Butman, B., P. Soupy Alexander, A. Scotti, R.C. Beardsley, and S.P. Anderson. In: Large internal waves in Massachusetts Bay. Part 2: Waves transport sediments offshore. In preparation.
- Buzeta, M. I. and K. G. Waiwood, 1982. Fecundity of Atlantic cod (*Gadus morhua*) in the southwestern Gulf of St. Lawrence. Canadian Technical Report of Fisheries and Aquatic Sciences, No. 1110.
- Caddy, J.G., 1973. Underwater observations on tracks of dredges and trawls and some effects of dredging on a scallop ground. *Journal of the Fisheries Research Board of Canada*, 30, 173-180.
- Cahoon, L.B., 1983. The effects of abundance and nutritional quality of phytoplankton on reproduction on [and] feeding of the copepod *Acartia tonsa*. Dissertation Abstracts International, B, Sciences and Engineering, 42, 2650-2651.
- Cahoon, L.B., G.R. Beretich, Jr., C.J. Thomas, and A.M. McDonald, 1993. Benthic microalgal production at Stellwagen Bank, Massachusetts Bay, USA. *Marine Ecology Progress Series*, 102, 179-185.
- Cailliet, G. M., A. H. Andrews, E. J. Burton, D. L. Watters, D. E. Kline, and L. A. Ferry-Graham, 2001. Age determination and validation studies of marine fishes: do deepdwellers live longer? *Experimental Gerontology*, 36, 739-764.
- Cairns, D.K., 1987. Seabirds as indicators of marine food supplies. *Biological Oceanography*, 5, 261-271.
- Cairns, S.D., 1991. Common and Scientific Names of Aquatic Invertebrates from the United States and Canada: Cnidaria and Ctenophora: American Fisheries Society. Special Publication 22.
- Campbell, D.E., 1987. System ecology of the Gulf of Maine. Contract NA-83-FA-C-00047 between U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service and State of Maine, Department of Marine Resources.

- Carr, H.A., and H.O. Milliken, 1998. Conservation engineering: options to minimize fishing's impacts to the sea floor. In: E.M. Dorsey and J. Pedersen, eds. *Effects of Fishing Gear on the Sea Floor of New England*. Conservation Law Foundation, Boston, MA, 100-103.
- Carrothers, P.J., 1981. Catch variability due to variations in groundfish otter trawl behavior. In: *Bottom Trawl Surveys*. W.G. Doubleday and D. Rivard, eds., Special Publication Canadian Fisheries and Aquatic Sciences, 2547-2557.
- Carter, G.S., M.C. Gregg, and R.C. Lien, 2005. Internal waves, solitary-like waves, and mixing on the Monterey Bay Shelf. *Continental Shelf Research*, 25, 1499-1520.
- Casey, J.M. and R.A. Myers, 1998. Diel variation in trawl catchability: is it as clear as day and night? *Canadian Journal of Fisheries and Aquatic Sciences*, 55, 2329-2340.
- Caswell, H., M. Fujiwara, and S. Brault. 1999. Declining survival probability threatens the North Atlantic right whale. *Proceedings of the National Academy of Sciences of the United States of America*, 96, 3308-3313.
- Cavaliere, A.R., 1977. Marine flora and fauna of the northeastern United States. Higher fungi: *Ascomycetes*, *Deuteromycetes*, and *Basidiomycetes*. United States Department of Commerce, National Oceanic and Atmospheric Administration, Circular, Volume 49.
- Cavanaugh, C.M., 1994. Microbial symbiosis: Patterns of diversity in the marine environment. *American Zoologist*, 34, 79-89.
- Center for Coastal Marine Studies, 1980. Pathogens of marine plants.
- Center for Coastal Studies, 1991. Comments in Response to DEIS/MP on Proposed Stellwagen Bank National Marine Sanctuary, United States Department of Commerce, National Oceanic and Atmospheric Administration.
- Chandler, W.J., and H. Gillelan, 2004. The History and Evolution of the National Marine Sanctuary Act. *Environmental Law Institute News and Analysis*, 10505-10565.
- Chapdelaine, G., P. Laporte, and D.N. Nettleship, 1987. Population, productivity and DDT contamination of Northern Gannets at Bonaventure Island, Quebec 1967-1984. *Canadian Journal of Zoology*, 65, 2922-2926.
- Chepurnova, E., L.G. Gutvejb, and G.V. Shumakova, 1987. Bacterioplankton from bottom elevations of the North Atlantic. *Ekkologiya. Morya., Kiev, Russia*, 3-9.
- Choi, J.S., K.T. Frank, W.C. Leggett, and K. Drinkwater, 2004. Transition to an alternate state in a continental shelf ecosystem. *Canadian Journal of Fisheries and Aquatic Sciences*, 61, 505-510.
- Christensen, J.P. and G.T. Rowe, 1984. Nitrification and oxygen consumption in Northwest Atlantic deep-sea sediments. *Journal of Marine Research*, 42, 1099-1116.
- Christensen, I., T. Haug, and N. Oien, 1992. A review of feeding and reproduction in large baleen whales (*Mysticeti*) and sperm whales, *Physeter macrocephalus*, in Norwegian waters. *Fauna Norv.* 13, 39-48.
- Churchill, J.H., 1989. The effects of commercial trawling on sediment resuspension and transport over the middle Atlantic Bight continental shelf. *Continental Shelf Research*, 9, 841-864.
- Claesson, S., and M. McKenzie, 2005. Stellwagen Bank Marine Historical Ecology Phase 1: Historical Sources Survey Report. Gulf of Maine Cod Project, University of New Hampshire, Durham, NH. 29 pp.
- Clapham, P.J. and C.A. Mayo, 1987. Reproduction and recruitment of individually identified humpback whales, *Megaptera novaeangliae*, observed in Massachusetts Bay, 1979-1985. *Canadian Journal of Zoology*, 65, 2853-2863.
- Clapham, P.J., 1989. Occurrence and Distribution of Marine Mammals in the Stellwagen Bank Region; a Summary. Provincetown, MA: Center for Coastal Studies, Provincetown, MA.
- Clapham P.J. and I.E. Seipt, 1991. Resightings of independent fin whales, *Balaenoptera physalus*, on maternal summer ranges. *Journal of Mammalogy*, 72, 788-790.
- Clapham, P.J., Young, S.B, and Brownell, R.L., Jr., 1999. Baleen whales: conservation issues and the status of the most endangered populations. *Mammal Review*, 29, 35-60.
- Clark, S.H. and V.C. Anthony, 1981. An assessment of the Gulf of Maine Northern Shrimp Resource. In: Frady, T., ed., *Proceedings of the International Pandalid Shrimp Symposium*. University of Alaska Sea Grant, 207-224.
- Clark, C.W. 1995. Application of US Navy underwater hydrophone arrays for scientific research on whales. Report, International Whaling Commission, 45, 210-212.
- Clarke, K.R. and R.M. Warwick, 2001. Change in marine communities: an approach to statistical analysis and interpretation 2nd Edition. PRIMER-E, Plymouth, United Kingdom. 172 pp.
- Clark, R., J. Manning, B. Costa, and A. Desch, 2006. An Ecological Characterization of the Stellwagen Bank National Marine Sanctuary Region (Chapter 1). National Center for Coastal Ocean Science, NOAA Technical Memorandum, Silver Spring, MD.
- Clucas, I. and D. James, 1997. Technical consultation reduction of wastage in fisheries. FAO Fisheries Report No. 547, Supplement. FIU/R547 Suppl. FAO, Rome, Italy. 344 pp.
- Coffin, W.L., 1979. A List of Harpacticoid Copepods from Northern New England, USA. *Bulletin of Biological and Marine Oceanography*, 28-29, 589-595.
- Cohen, E.B., 1975. An overview of the plankton communities of the Gulf of Maine (ICNAF Research Document 75/106). North Atlantic Fisheries Organization, Canada.
- Collie, J.S., G.A. Escanero, and P.C. Valentine, 1997. Effects of bottom fishing on the benthic megafauna of Georges Bank. *Marine Ecology Progress Series*, 155, 159-172.
- Collie, J.S., 1998. Studies in New England of fishing gear impacts on the sea floor. In: *Effect of Fishing Gear on the Sea Floor of New England*. E.M. Dorsey and J. Pederson, eds., Conservation Law Foundation, Boston, MA, 53-62.
- Collie, J.S., G.A. Escanero, and P.C. Valentine, 2000. Photographic evaluation of the impacts of bottom fishing on benthic epifauna. *ICES Journal of Marine Science*, 57, 987-1001.
- Collie, J.S., S.J. Hall, M.J. Kaiser, and I.R. Poiner, 2000. A quantitative analysis of fishing impacts on shelf-sea benthos. *The Journal of Animal Ecology*, 69, 785-798.
- Collins, J.W., 1889. The beam-trawl fishery of Great Britain. NOAA Technical Memo, NMFS-F/NEC-51. Washington, DC, Government Printing Office.
- Collins, J.W., 1890. Suggestions for the employment of improved types of vessels in market fisheries. Washington, DC, Government Printing Office.
- Colquhoun, D.J., G.A. Escanero, and P.C. Valentine, 1998. *Pseudomonas fluorescens*, infectious pancreatic necrosis virus and environmental stress as potential factors in the development of vaccine related adhesions in Atlantic

- salmon, *Salmo salar* L. *Journal of Fish Diseases*, 21, 355-364.
- Colwell, R.R., R.A. Clayton, D.J. Ortiz-Conde, D. Jacobs, and R. Russek-Cohen, 1995. The microbial species concept and biodiversity. In: *Microbial Diversity and Ecosystem Function*, D. Allsop, D.L. Colwell, and D.L. Hawksworth, eds., CAB International, Wallingford, United Kingdom, 3-15.
- Cook, G.C. and R.O. Brinkhurst, 1973. Marine flora and fauna of the northeastern United States. *Annelida: Oligochaeta*. U.S. Department of Commerce, National Oceanic and Atmospheric Administration Technical Report, National Marine Fisheries Service, Circular 374.
- Cook, M. and W.H. Lynch, 1999. A sensitive nested reverse transcriptase PCR assay to detect viable cells of the fish pathogen *Renibacterium salmoninarum* in Atlantic salmon (*Salmo salar* L.). *Applied and Environmental Microbiology*, 65, 3042-3047.
- Cook, R., and P.J. Auster, 2006. Developing Alternatives for Optimal Representation of Seafloor Habitats and Associated Communities in Stellwagen Bank National Marine Sanctuary. Marine Sanctuaries Conservation Series ONMS-06-02. [http://www.sanctuaries.nos.noaa.gov/science/conservation/seafloor\\_sbnms.html](http://www.sanctuaries.nos.noaa.gov/science/conservation/seafloor_sbnms.html).
- Cook, R.R., and P.J. Auster, 2007. A bioregional classification for the continental shelf of northeastern North America for conservation analysis and planning based on representation. NOAA National Marine Sanctuary Program, Marine Sanctuary Conservation Series, NMSP-07-03.
- Corkeron, P.J. 1995. Humpback whales in Hervey Bay, Queensland: Behavior and responses to whale-watching vessels. *Canadian Journal of Zoology*, 73, 1290-1299.
- Corkeron, P.J., 2004. Whale watching, iconography, and marine conservation. *Conservation Biology*, 18, 847-849.
- Corliss, B.H. and S. Emerson, 1990. Distribution of rose Bengal stained deep-sea benthic Foraminifera from the Nova Scotian continental margin and Gulf of Maine. *Deep-Sea Research*, 37, 381-400.
- Cote, D., D.A. Scruton, G.H. Niezgod, R.S. McKinley, D.F. Rowsell, R.T. Lindstrom, L.M.N. Ollerhead, and C.J. Whitt, 1998. A coded acoustic telemetry system for high precision monitoring of fish location and movement: Application to the study of nearshore nursery habitat of juvenile Atlantic cod *Gadus morhua*. *Marine Technology Society Journal*, 32, 54-62.
- Craft, Ferguson, Jernigan, King, Parrott, Stocks, and Wilson v. NOAA, 6 O.R.W. 150 United States Department of Commerce, 1990.
- Crawford J.D. and J. Smith, 2006. Marine Ecosystem Conservation for New England and Maritime Canada: A Science-Based Approach to Identifying Priority Areas for Conservation. Conservation Law Foundation and World Wildlife Foundation-Canada, Halifax, NS, Canada. 200 pp.
- Crawford J.D., and Cook, R., in preparation. Historical trends in adult size among common ground fishes in Stellwagen Bank National Marine Sanctuary and Environs.
- Crowder, L. and S. Murawski, 1998. Fisheries bycatch: implications for management. *Fisheries*, 23, 8-16.
- Cruickshank, M., J.J. Flanagan, B. Holt, and J.W. Padan, 1987. Marine Mining on the Outer Continental Shelf (OCS Report 87-0035). United States Department of the Interior, Minerals Management Service.
- Cuhel, R.L., H.W. Jannasch, C.D. Taylor, and D.R.S. Lean, 1983. Microbial growth and macromolecular synthesis in the northwestern Atlantic Ocean. *Limnology and Oceanography*, 28, 1-18.
- Dalton, H.M., A.E. Goodman, and K.C. Marshall, 1996. Diversity in surface colonization behavior in marine bacteria. *Journal of Industrial Microbiology & Biotechnology*, 17, 228-234.
- Darnell, R.M., 1976. Impacts of construction activities in wetland of the United States. United States Environmental Protection Agency 600/3-76-045.
- Daunt, F., G. Peters, B. Scott, D. Gremillet, and S. Wanless, 2003. Rapid-response recorders reveal interplay between marine physics and seabird behaviour. *Marine Ecology Progress Series*, 255, 83-288.
- Davis, P.G., D.A. Caron, and J.M. Sieburth, 1978. Distribution and abundance of nanoplankton in estuarine, shelf, and oceanic waters of the north Atlantic. *Journal of Protozoology*, 25.
- Dayton, P.K., 1971. Competition, disturbance, and community organization: the provision and subsequent utilization of space in rocky intertidal community. *Ecological Monographs*, 41, 351-389.
- Dayton, P.K., S.F. Thrush, T.M. Agardy, and R.J. Hofman, 1995. Environmental effects of fishing. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 5, 205-232.
- Dayton, P.K., E. Sala, M.J. Tegner, and S. Thrush, 2000. Marine reserves: parks, baselines, and fishery enhancement. *Bulletin of Marine Science*, 66, 617-634.
- Dayton, P.K., S. Thrush, S. and F.C. Coleman, 2002. Ecological effects of fishing in marine ecosystems of the United States. Arlington, Virginia: Pew Oceans Commission. 45 pp.
- Deitz, A., undated. What is an Invasive Species? Retrieved from <http://www.usm.maine.edu/gulfofmaine-census/Docs/About/Organisms/Invasive.htm>). Bigelow Laboratory for Ocean Sciences, West Boothbay Harbor, ME.
- Department of the Navy, 2005. Marine Resource Assessment for the Northeast Operations Area: Atlantic City, Narragansett Bay, and Boston: Naval Facilities Engineering Command, Atlantic; Norfolk, Virginia. Contract number N62470-02-D-9997, Task Order Number 0018. Prepared by Geo-Marine, Inc., Newport News, VA.
- Diamond, A.W. and C.M. Devlin, 2003. Seabirds as indicators of changes in marine ecosystems: ecological monitoring on Machias Seal Island. *Environmental Monitoring and Assessment*, 88, 153-175.
- Donovan, G.P. 1986. Behavior of whales in relation to management. Report of the International Whaling Commission, Special Issue 8, Cambridge, United Kingdom.
- Donovan, G.P., H. Caswell, M. Fujiwara, and S. Brault, 1999. Declining survival probability threatens the North Atlantic right whale. *Proceedings of the National Academy of Sciences of the United States of America*, 96, 3308-3313.
- Dorsey, E.M. and J. Pederson, eds., 1998. Effects of Fishing Gear on the Sea Floor of New England. Conservation Law Foundation and MIT Sea Grant College Program, Boston, MA. 160 pp.
- Doucette, G.J., A.D. Cembella, J.L. Martin, J. Michaud, T.V.N Cole, and R.M. Rolland, 2006. Paralytic shellfish poisoning (PSP) toxins in North Atlantic right whales *Eubalaena glacialis* and their zooplankton prey in the Bay of Fundy, Canada. *Marine Ecology Progress Series*, 306, 303-313.

- Drury, W.H., 1965. Gulls vs. terns: Clash of coastal nesters. Massachusetts Audubon, 1965. 207-211.
- Drury, W.H., 1973. Population changes in New England seabirds. Bird Banding, 44, 267-313.
- Drury, W.H. 1974. Population changes in New England Seabirds. Bird Banding, 45, 1-15.
- Dubilier, N., R. Amann, C. Erseus, G. Muyzer, S.Y. Park, O. Giere, and C.M. Cavanaugh, 1999. Phylogenetic diversity of bacterial endosymbionts in the gutless marine oligocheate *Olavius loisiae* (Annelida). Marine Ecology Progress Series, 178, 271-280.
- Ducklow, H.W., D.L. Kirchman, and H.L. Quinby, 1992. Bacterioplankton cell growth and macromolecular synthesis in seawater cultures during the North Atlantic spring phytoplankton bloom, May 1989. Microbial Ecology, 24, 125-144.
- Ducklow, H.W., D.L. Kirchman, H.L. Quinby, C.A. Carlson, and H.G. Dam, 1993. Stocks and dynamics of bacterioplankton carbon during the spring bloom in the eastern North Atlantic Ocean. Deep-Sea Research, 40, 245-263.
- Ducklow, H.W., 1999. The bacterial component of the oceanic euphotic zone. FEMS Microbial Ecology, 30, 1-10.
- Dudley, P.L., and P.L. Illg. 1991. Marine flora and fauna of the eastern United States. *ArchiNotodelphyidae*, *Notodelphyidae*, and *Ascidicolidae*. NOAA Technical Report NMFS, 96. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Seattle, WA.
- Duplisea, D.E., S. Jennings, K.J. Warr, and T.A. Dinmore, 2002. A size-based model of the impacts of bottom trawling on benthic community structure. Canadian Journal of Fisheries and Aquatic Sciences, 59, 1785-1795.
- Dupuy, C., S. Le Gall, H.J. Hartmann, and M. Breret, 1999. Retention of ciliates and flagellates by the oyster *Crassostrea gigas* in French Atlantic coastal ponds: Protists as a trophic link between bacterioplankton and benthic suspension-feeders. Marine Ecology Progress Series, 177, 165-175.
- Durbin, E.G., R.G. Campbell, S.L. Gilman, and A.G. Durbin, 1995a. Diel feeding behavior and ingestion rate in the copepod *Calanus finmarchicus* in the southern Gulf of Maine during late spring. Continental Shelf Research, 15, 539-570.
- Durbin, E.G., A.G. Durbin, and R.C. Beardsley, 1995b. Springtime nutrient and chlorophyll a concentrations in the southwestern Gulf of Maine. Continental Shelf Research, 15, 433-450.
- Durbin, E., G. Teegarden, R. Campbell, A. Cembella, M.F. Baumgartner, and B.R. Mate, 2002. North Atlantic right whales *Eubalaena glacialis*, exposed to paralytic shellfish poisoning (PSP) toxins via a zooplankton vector, *Calanus finmarchicus*. Harmful Algae, 1, 243-251
- Eckert, A.W., 1963. The Great Auk. Little, Brown, & Company, Boston, MA.
- Edney, J., 2006. Impacts of recreational SCUBA diving on shipwrecks in Australia and the Pacific: a review. Micronesia Journal of the Humanities and Social Sciences, 5, 201-233.
- Edwardsen, B. and L. Medlin, 1998. Genetic analyses of authentic and alternate forms of *Chrysochromulina polypleps* (Haptophyta). Phycologia, 37, 275-283.
- Eno, N.C., D.S. MacDonald, J.A.M. Kinnear, S.C. Amos, C.J. Chapman, R.A. Clark, F. Bunker, and C. Munro, 2001. Effects of crustacean traps on benthic fauna. ICES Journal of Marine Science, 58, 11-20.
- Engel, J. and R. Kvitek, 1998. Effects of otter trawling on a benthic community in Monterey Bay National Marine Sanctuary. Conservation Biology, 12, 1204-1214.
- Erbe, C., 2002. Underwater noise of whale-watching boats and potential effects on killer whales (*Orcinus orca*), based on an acoustic impact model. Marine Mammal Science, 18, 394-418.
- Essington, T.E., A.H. Beaudreau, and J. Wiedenmann, 2006. Fishing through marine food webs. Proceedings of the National Academy of Sciences, 103, 3171-3175.
- Estrella, B.T., and R.P. Glenn, 2004. Commercial Lobster Sea Sampling-Southern Gulf of Maine-Offshore. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service. Completion Report NA03NMF4720289, September, 2004. 17 pp.
- Environment News Service, 2002. "Massachusetts – Once a base for new England's whaling industry..." p. 11. <http://www.ens-newswire.com/ens/jun2002/>.
- Federal Register, 1992. Proposed Rules: Approaching Marine Mammals, Vol. 57, No. 147, 34101-34105.
- Federal Register Notice, 2006. July 26, 2006, pp. 36299-36313.
- Fell, F.J., 1982. Echinodermata. In: Synopsis and classification of living organisms. S.P. Parker, ed., McGraw Book Company, New York, NY, 785-818.
- Field, K.G., D. Gordon, T. Wright, M. Rappe, E. Urbach, K. Vergin, and S.J. Giovannoni, 1997. Diversity and depth-specific distribution of SAR11 cluster rRNA genes from marine planktonic bacteria. Applied and Environmental Microbiology, 63, 63-70.
- Fish, C.J. and M.W. Johnson, 1937. The biology of the zooplankton populations in the Bay of Fundy and the Gulf of Maine with special reference to production and distribution. Journal of the Biological Board Canada, 3, 189-322.
- Fish, J.S., 1989. Unfinished voyages, A Chronology of Shipwrecks in the Northeastern United States. Orleans, MA: Lower Cape Publishing.
- Fish, M.P. and W.H. Mowbray, 1970. Sounds of western North Atlantic fishes; a reference file of biological underwater sounds. Johns Hopkins Press, Baltimore, MD.
- Fisher, J., and Lockley, R.M., 1954. Sea-birds. Houghton Mifflin, Boston, MA. 320 pp.
- Fitzgerald, D. M., J.B. Smith, and S.L. Goodbred, 1990. Exploration and Inventory of Sand and Gravel Resources Offshore Boston Harbor (Technical Report No. 2). Prepared under contract to the Massachusetts Office of Coastal Zone Management, Boston University Marine Research Group, Department of Geology.
- Flagg, C.N., 1987. Hydrographic structure and variability. In: Georges Bank. R.H. Backus, ed., The MIT Press, Cambridge, MA, 108-124.
- Fogarty, M.J., 1999. Essential habitat, marine reserves, and fishery management. Trends in Ecology and Evolution, 14, 133-134.
- Fogarty, M.J., E.B. Cohen, W.L. Michaels, and W.W. Morse, 1991. Predation and the regulation of sand lance populations: an exploratory analysis. ICES Marine Science Symposia, 193, 120-124.

- Fogarty, M.J. and S.A. Murawski, 1998. Large-scale distribution and the structure of marine ecosystems: fishery impacts on Georges Bank. *Ecological Applications*, 8, S6-S22.
- Francis, R.C., M.A. Hixon, M. E. Clarke, S.A. Murawski, and S. Ralston, 2007. Ten commandments for ecosystem-based fisheries scientists. *Perspective: Fisheries*, 32, 217-233.
- Frank, K.T., B. Petrie, J.S. Choi, and W.C. Leggett, 2005. Trophic cascades in a formerly cod-dominated ecosystem. *Science*, 308, 1621-1623.
- Frankel, S.A. and C.W. Clark, 2002. ATOC and other factors affecting the distribution and abundance of humpback whales (*Megaptera novaeangliae*) off the north shore of Kauai. *Marine Mammal Science*, 18, 644-662.
- Franks, P.J., 1990. Dinoflagellate blooms and physical systems in the Gulf of Maine. PhD Thesis, Report 90-23, Woods Hole Oceanographic Institution, Woods Hole, MA, 253 pp.
- Franks, P.J.S. and D.M. Anderson, 1992. Toxic phytoplankton blooms in the southwestern Gulf of Maine: testing hypotheses of physical control using historical data. *Marine Biology*, 112, 165-174.
- Fraser, C.M., 1944. Hydroids of the Atlantic coast of North America. University of Toronto Press, Toronto, Canada, 451 pp.
- Fredrickson, J.K., D.L. Balkwill, M.F. Romine, and T. Shi, 1999. Ecology, physiology, and phylogeny of deep subsurface *Sphingomonas* sp. *Journal of Industrial Microbiology & Biotechnology*, 23, 273-283.
- Freese, L., P.J. Auster, J. Heifetz, and B.L. Wing, 1999. Effects of trawling on seafloor habitat and associated invertebrate taxa in the Gulf of Alaska. *Marine Ecology Progress Series*, 182, 119-126.
- Friedlander, A.M., G.W. Boehlert, M.E. Field, J.E. Mason, J.V. Gardner, and P. Dartnell, 1999. Sidescan-sonar mapping of benthic trawl marks on the shelf and slope off Eureka, California. *Fishery Bulletin*, 97, 786-801.
- Friedlander, A.M., E.L. Hazen, D.P. Nowacek, C. Ware, M. Weinrich, T. Hurst, and D. Wiley. Diel changes in humpback whale (*Megaptera novaeangliae*) feeding behavior in response to prey behavior and distribution. *Proceedings of the Royal Society B*, in review.
- Fuhrman, J.A., and C.C. Ouverney, 1998. Marine microbial diversity studied via 16S rRNA sequences: cloning results from coastal waters and counting of native archaea with fluorescent single cell probes. *Aquatic Ecology*, 32, 3-15.
- Fuhrman, J.A., 1999. Marine viruses and their biogeochemical and ecological effects. *Nature*, 399, 541-548.
- Funk, R.E., 1978. Post-Pleistocene Adaptations. In: *Handbook of North American Indians, Northeast, Volume 15*. B.G. Trigger, ed., Smithsonian Institution, Washington, DC.
- Furness, R. W., and C. J. Camphuysen, 1997. Seabirds as monitors of the marine environment. *ICES Journal of Marine Science*, 54, 726-737.
- Furness R.W. and J.J.D. Greenwood, eds., 1993. *Birds as monitors of environmental change*. Chapman & Hall, London, United Kingdom, 368 pp.
- Garrison, G.P., 2001. Spatial patterns in species composition in the northeast United States continental shelf fish community during 1996-1999. In: Kruse, G.N.H., et al., eds., *Spatial processes and management of marine populations*, Fairbanks: Alaska Sea Grant, University of Alaska, Fairbanks, AK, 513-537.
- Garrison, L.P., and J.S. Link, 2000. Dietary guild structure of the fish community in the Northeast United States continental shelf ecosystem. *Marine Ecology Progress Series*, 202, 231-240.
- Garthe, S., K. Camphuysen, and R.W. Furness. 1996. Amounts of discards by commercial fisheries and their significance as food for seabirds in the North Sea. *Marine Ecology Progress Series*, 136, 1-11.
- Gauld, J.A., and R. Hutcheon, 1990. Spawning and fecundity in the lesser sandeel, *Ammodytes marinus* (Raitt), in the north-western North Sea. *Journal of Fish Biology*, 36, 611-613.
- Gende, S.M. and M.F. Sigler, 2006. Persistence of forage fish 'hot spots' and its association with foraging Steller sea lions (*Eumetopias jubatus*) in southeast Alaska. *Deep-Sea Research II*, 53, 432-441.
- Geraci, J.R., D.M. Anderson, R.J. Timperi, D.J. St. Aubin, G.A. Early, J.H. Prescott, and C.A. Mayo. 1989. Humpback whales (*Megaptera novaeangliae*) fatally poisoned by dinoflagellate toxin. *Canadian Journal of Fisheries and Aquatic Sciences*, 46, 1895-1898.
- Geyer, W., G. Gardner, W. Brown, J. Irish, B. Butman, T. Loder, and R. Signell, 1992. Physical oceanographic investigation of Massachusetts and Cape Cod Bays (Technical Report MBP-92-03). Massachusetts Bays Program, United States Environmental Protection Agency Region Massachusetts Coastal Zone Management Office, Boston, Massachusetts, 497 pp.
- Gilbert, J.R. and K.M. Wynne, 1987. Harbor seal populations and fisheries interactions with marine mammals in New England. Final Report Contract NA-EA-C-0070, Northeast Fisheries Science Center, Woods Hole, MA, 15 pp.
- Gilman, E., N. Brothers, and D.R. Kobayashi, 2005. Principles and approaches to abate seabird by-catch in longline fisheries. *Fish and Fisheries*, 6, 35-49.
- Giovannoni, S.J., M.S. Rappe, K.L. Vergin, and N.L. Adair, 1996. 16S rRNA genes reveal stratified open ocean bacterioplankton populations related to the green non-sulfur bacteria. *Proceedings of the National Academy of Sciences USA*, 93, 7979-7984.
- Gislason H., and E. Kirkegaard, 1996. The industrial fishery and the North Sea sandeel stock. Seminar on the Precautionary Approach to North Sea Fisheries Management, 9-10 September 1996, Institute of Marine Research, Oslo, Norway.
- Glockner-Ferrari, D.A., and M.J. Ferrari, 1990. Reproduction in the humpback whale (*Megaptera novaeangliae*) in Hawaiian waters, 1975-1988: the life history, reproductive rates and behaviour of known individuals identified through surface and underwater photography. Report of the International Whaling Commission, Special Issue, 12, 161-169.
- Glover, H.E., D.A. Phinney, and C.S. Yentsch, 1985a. Photosynthetic characteristics of picoplankton compared with those of larger phytoplankton populations in various water masses in the Gulf of Maine. *Biological Oceanography*, 3, 223-248.
- Glover, H.E., A.E. Smith, and L. Shapiro, 1985b. Diurnal variations in photosynthetic rates: Comparisons of ultraphytoplankton with a larger phytoplankton size fraction. *Journal of Plankton Research*, 7, 519-535.
- Goodyear, J.D., 1989. Night behavior and ecology of humpback whales (*Megaptera novaeangliae*) in the western north Atlantic. Unpublished Master's Thesis, Moss Landing Marine Laboratories, San Jose State University, San Jose, CA.

- Gosner, K.L., 1971. Guide to Identification of Marine and Estuarine Invertebrates. New York: Wiley-Interscience, Division of John Wiley & Sons, Inc., pp. 700.
- Grannis, B.M., 2005. Impacts of mobile fishing gear and a buried fiber-optic cable on soft-sediment benthic community structure. Master's Thesis, University of Maine, Orono, ME.
- Green, J.M. and J.S. Wroblewski, 2000. Movement patterns of Atlantic cod in Gilbert Bay, Labrador: evidence for bay residence and spawning site fidelity. *Journal of Marine Biological Association of the UK*, 80, 1077-1085.
- Greene, C.H., A.J. Pershing, R.D. Kenney, and J.W. Jossi, 2003. Impact of Climate Variability on the Recovery of Endangered North Atlantic Right Whales. *Oceanography*, 16, 98-103.
- Greger, E. and T. Goodrich, 1999. Vaccine development for winter ulcer disease, *Vibrio viscosus*, in Atlantic salmon, *Salmo salar L.* *Journal of Fish Diseases*, 22, 193-199.
- Gregory, R.S. and J.T. Anderson, 1997. Substrate selection and use of protective cover by juvenile Atlantic cod *Gadus morhua* in inshore waters of Newfoundland. *Marine Ecology-Progress Series*, 146, 9-20.
- Grosslein, M.D. and T.R. Azarovitz, 1982. Fish distribution. In: MESA New York Bight Atlas (Monograph 15), New York Sea Grant Institute, Albany, NY.
- Gutvejb, L.G., G.V. Shumakova, A.N. Buchakchijskaya, and Y. Artemov, 1987. Bacterioplankton of the surface layer in the areas of bottom elevations of the North Atlantic. *Biol. Morya/Mar. Biol., Vladivost*, 20-26.
- Hain, J.H.W., M.J. Ratnaswamy, R.D. Kenney, and H.E. Winn, 1992. The fin whale, *Balaenoptera physalus*, in waters of the northeastern United States continental shelf. Report of the International Whaling Commission, 42, 653-669.
- Hain, J.H.W., S.L. Ellis, R.D. Kenney, P.J. Clapham, B.K. Gray, M.T. Weinrich, and I.G. Babb, 1995. Apparent bottom feeding by humpback whales on Stellwagen Bank. *Marine Mammal Science*, 11, 464-479.
- Hall, C.S., S.W. Kress, and C.R. Griffin, 2000. Composition, spatial and temporal variation of Common and Arctic Tern chick diets in the Gulf of Maine. *Waterbirds*, 23, 430-439.
- Hall, M., 1996. On bycatches. Review in *Fish Biology and Fisheries*, 6, 319-352.
- Hall, M.A., D.L. Alverson, and K.I. Metuzals, 2000. By-catch: problems and solutions. *Marine Pollution Bulletin*, 41, 204-219.
- Hall, S.J., 1994. Physical disturbance and marine benthic communities: life in unconsolidated sediments. *Oceanography and Marine Biology: An Annual Review*, 32, 179-239.
- Hall, S.J., 1999. The Effects of Fishing on Marine Ecosystems and Communities. Blackwell Science, Oxford, United Kingdom. 274 pp.
- Hall, S.J., and B.M. Mainprize, 2005. Managing by-catch and discards: how much progress are we making and how can we do better? *Fish and Fisheries*, 6, 134-155.
- Hamer, K.C., R.W. Furness, and R.W.G. Caldwell, 1991. The effects of changes in food availability on the breeding ecology of great skuas, *Catharacta skua*, in Shetland. *Journal of Zoology*, 223, 175-188.
- Hannah, C.G., J. W. Loder, and D. G. Wright, 1996. Seasonal variation in the baroclinic circulation in the Scotian Maine region. *Buoyancy Effects on Coastal Dynamics*. D. G. Aubrey and C. T. Friedrichs, eds., American Geophysical Union, 7-29.
- Hansson, M., M. Lindegarth, D. Valentinsson, and M. Ulmestrand, 2000. Effects of shrimp trawling on abundance of benthic macrofauna in Gullmarsfjorden, Sweden. *Marine Ecology Progress Series*, 198, 191-201.
- Harrington, J.M., R.A. Myers, and A.A. Rosenberg, 2005. Wasted fishery resources: discarded by-catch in the USA. *Fish and Fisheries*, 6, 350-361.
- Hartman, W.D., 1964. Phylum Porifera. In: Keys to marine invertebrates of the Woods Hole region: a manual for the identification of the more common marine invertebrates. R.I. Smith, ed., Marine Biological Laboratory, Woods Hole, MA. p. 1-7.
- Hartwell, I., D. Apeti, M. Myers, and A. Mason, 2006. An Ecological Characterization of the Stellwagen Bank National Marine Sanctuary Region (Chapter 2). National Center for Coastal Ocean Science, NOAA Technical Memorandum, Silver Spring, MD.
- Harvell, C.D., K. Kim, J.M. Burkholder, R.R. Colwell, P.R. Epstein, D.J. Grimes, E.E. Hofmann, E.K. Lipp, G.W. Smith, and G.R. Vasta, 1999. Emerging marine diseases – climate links and anthropogenic factors. *Science*, 285, 1505-1510.
- Hassol, J., 1987. Sand and Gravel Mining on Stellwagen Bank, Massachusetts. Internship Report. Provincetown, MA: Center for Coastal Studies.
- Haurv, L.R., M.G. Briscoe, and M.H. Orr, 1979. Tidally generated internal wave packets in Massachusetts Bay. *Nature*, 278, 312-317.
- Hauser, L., G.J. Adcock, P.J. Smith, J.H. Ramirez, G.R. Carvalho, 2002. Loss of microsatellite density and low effective population size in an overexploited population of New Zealand snapper (*Pagrus auratus*). *Proceedings of the National Academy of Sciences*, 99, 11742-11747.
- Hazen, E., A. Friedlander, M. Thompson, C. Ware, M. Weinrich, P. Halpin, and D. Wiley. Three-dimensional prey aggregations and fine scale foraging ecology of humpback whales. *Ecology*, in review.
- Hemleben, C., O.R. Anderson, and M. Spindler, 1989. Modern Planktonic Foraminifera. Springer-Verlag, New York, NY, pp. 363.
- Hines, M.E., D.A. Bazylinski, J.B. Tugel, and W.B. Lyons, 1991. Anaerobic microbial biogeochemistry in sediments from two basins in the Gulf of Maine: Evidence for iron and manganese reduction. *Estuarine, Coastal, and Shelf Science*, 32, 313-324.
- Hinrichs, K., J.M. Hayes, S.P. Sylva, P.G. Brewer, and E.F. Delong, 1999. Methane-consuming archaeobacteria in marine sediments. *Nature*, 398, 802-805.
- Hislop, J.R.G., 1988. The influence of maternal length and age on the size and weight of the eggs and the relative fecundity of the haddock, *Melanogrammus aeglefinus*, in British waters. *Journal of Fish Biology*, 32, 923-930.
- Ho, J.S., 1977. Marine flora and fauna of the Northeastern United States. Copepoda: *Lernaeopodidae* and *Sphyriidae*. NOAA Technical Report, NMFS Circular 406, 1-13.
- Ho, J.S., 1978. Marine Flora and Fauna of the Northeastern United States. Copepoda: cyclopoids parasitic on fishes. NOAA Technical Report, NMFS Circular 409, 1-12.
- Ho, H.H., H.S. Chang, and S.Y. Hsieh, 1991. *Halophytophthora kandeliae*, a new marine fungus from Taiwan. *Mycologia*, 83, 419-424.

- Hoagland, P. and A.E. Meeks. 2000. The demand for whale watching at Stellwagen Bank National Marine Sanctuary. In: The economic contribution of whalewatching to regional economies: perspectives from two national marine sanctuaries. Marine Sanctuaries Conservation Series MSD-00-2.
- Hollowed, A.B., J.N. Ianelli, and P.A. Livingston, 2000. Including predation mortality in stock assessments: a case study for Gulf of Alaska walleye pollock. ICES Journal of Marine Science, 57, 279-293.
- Hopkins T., and Garfield, N. III., 1979. Gulf of Maine intermediate water. Journal of Marine Research, 37,103-139.
- Hoyt, E. 2001. Whalewatching 2001: Worldwide tourism numbers, expenditures, and expanding socioeconomic benefits. International Fund for Animal Welfare, Yarmouthport, MA, USA, 1, 1-158.
- Hubbard, W.A., J.M. Penko, and T.S. Fleming, 1988. Site Evaluation Studies of the Massachusetts Bay Disposal Site for Ocean Disposal of Dredged Material. United States Army Corps of Engineers, New England Division, Waltham, MA.
- Hunter, W.R. and S.C. Brown, 1964. *Phylum Mollusca*. In: Keys to the marine invertebrates of the Woods Hole region: a manual for the identification of the more common marine invertebrates. R.I. Smith, ed., Marine Biological Laboratory, Woods Hole, MA, 129-152.
- Huettmann, F., 2000. Environmental Determination of Seabird Distribution. PhD Thesis, Faculty of Forestry and Environmental Management, University of New Brunswick, Fredericton, NB, Canada. 430 pp.
- Huettmann, F. and A.W. Diamond, 2000. Seabird migration in the Canadian North Atlantic: moulting locations and movement patterns of immatures. Canadian Journal of Zoology, 33, 1-25.
- Huettmann, F., A.W. Diamond, B. Dalzell and K. MacKintosh, 2005. Winter distribution and ecology of Razorbills *Alca torda* and other auks in the lower Bay of Fundy, New Brunswick. Marine Ornithology, 33, 161-171.
- Huettmann F., and A.W. Diamond, 2006. Large-scale effects on the spatial distribution of seabirds in the northwest Atlantic. Landscape Ecology, 21, 1089-1108.
- Hutchings, J. A., and R. A. Myers, 1993. Effect of age on the seasonality of maturation and spawning of Atlantic cod, *Gadus morhua*, in the northwest Atlantic. Canadian Journal of Fisheries and Aquatic Sciences, 50, 2468-2474.
- International Council for the Exploration of the Sea (ICES), 1989. Report of the multispecies assessment working group. Part 1, ICES Document CM. 1989/Assess: 20, 125 pp.
- International Council for the Exploration of the Sea (ICES), 1998. Report of the working group on ecosystem effects of fishing activities. ICES Committee Meeting (Pegalic Fish Committee): ACFM/ACME:1, Reference E, 1-123.
- Industrial Economics, Incorporated for the National Marine Fisheries Service, DRAFT Analysis of Fixed Gear Vessel Activity, January 2007.
- Industrial Economics, Incorporated, Cambridge, MA, and National Oceanic and Atmospheric Administration, National Marine Fisheries Service, NERO, Gloucester, MA.
- Jackson, J.B.C., M.X. Kirby, W.H. Berger, K.A. Bjorndal, L.W. Botsford, et al., 2001. Historical over fishing and the recent collapse of coastal ecosystems. Science, 293, 631-638.
- Jackson, C.R. and J.R. Apel, eds., 2004. Synthetic Aperture Radar Marine User's Manual. US Department of Commerce, National Oceanic Atmospheric Administration, National Environmental Satellite, Data, and Information Service. Washington, DC, 464 pp.
- Jarvins, R., 1990. Recreational fisheries of Stellwagen Bank. Presented at the Stellwagen Bank Conference, Boston, MA, April 26-27, 1990.
- Jennings, S., and M.J. Kaiser, 1998. The effects of fishing on marine ecosystems. Advances in Marine Biology, 34, 201-352.
- Jennings, S.J., J.K. Pinnegar, N.V.C. Polunin, and K.J. Warr, 2001. Impacts of trawling disturbance on the trophic structure of benthic invertebrate communities. Marine Ecology Progress Series, 213, 127-142.
- Jennings, S.J., M.D. Nicholson, T.A. Dinmore, and J.E. Lancaster, 2002. Effects of chronic trawling disturbance on the production of infaunal communities. Marine Ecology Progress Series, 243, 251-260.
- Jensen, A.S., and G.K. Silber, 2003. Large Whale Ship Strike Database (NOAA Technical Memorandum NMFS-F/OPR-25). United States Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, 37 pp.
- Jiang, M. S. and M. Zhou, 2004. The summer Ekman pumping and its implications to the deep water renewal in Massachusetts and Cape Cod Bays. Proceedings of the 8th Estuarine Coastal Modelling, November 3, 2003, San Francisco, CA.
- Jiang, M., and M. Zhou, 2006. The Massachusetts and Cape Code bays hydrodynamic model: 2002-2004 simulation. Boston: Massachusetts Water Resources Authority. Report ENQUAD 2006-12. 128 pp.
- Johnson, A., G. Salvador, J. Kenney, J. Robbins, S. Kraus, et al., 2005. Fishing gear involved in entanglements of right and humpback whales. Marine Mammal Science, 21, 635-345.
- Johnson, M.P., and P.L. Tyack, 2003. A digital acoustic recording tag for measuring the response of wild marine mammals to sound. IEEE Journal of Oceanic Engineering, 28, 3-12.
- Juanes, F. 1994. What determines prey size selectivity in piscivorous fishes? In: Theory and application in fish feeding ecology, D.J. Stouder, K.L. Fresh, and R.J. Feller, eds., University of South Carolina Press, Columbia, SC, pp. 79-100.
- Kahn, L.M. and K. Wishner, 1995. Spatial and temporal patterns of zooplankton on baleen whale feeding grounds in the southern Gulf of Maine. J. Plankton. Res., 17, 235-262.
- Kaiser, M.J., A.S. Hill, K. Ramsey, B.E. Spencer, A.R. Brand, et al., 1996. Benthic disturbance by fishing gear in the Irish Sea: a comparison of beam trawling and scallop dredging. Aquatic Conservation: Marine and Freshwater Ecosystems, 6, 269-285.
- Kaiser, M.J., 1998. Significance of Bottom-Fishing Disturbance. Conservation Biology, 12, 1230-1235.
- Kaiser, M.J., and S.J. de Groot, 2000. The Effects of Fishing on Non-target Species and Habitats: Biological, Conservation, and Socio-economic Issues. Blackwell Science, Oxford, United Kingdom. pp 399.
- Kaiser, K.J., J.S. Collie, S.J. Hall, S. Jennings, and I.R. Poiner, 2002. Modification of marine habitats by trawling activities: prognosis and solutions. Fish and Fisheries, 2, 114-136.
- Kareiva, P., and M. Marvier, 2003. Conserving Biodiversity Coldspots. American Scientist, 91, 344-351.
- Katona, S.K., V. Rough, and D.T. Richardson, D.T., 1983. A field guide to the whales, porpoise and seals of the Gulf of

- Maine and Eastern Canada, Cape Cod to Newfoundland. Charles Scriber's Sons, New York, NY. 255 pp.
- Katona, S.K., and J.A. Beard, 1990. Population six migrations, and feeding aggregations of the humpback whale (*Megaptera novaeangliae*) in the western North Atlantic Ocean. Report from International Whaling Commission, Special Issue 12, 295-306.
- Katona, S.K. and J.A. Beard. 1991. Humpback whales, *Megaptera novaeangliae*, in the western North Atlantic Ocean. *Memoirs of the Queensland Museum*, 30, 307-321.
- Katona, S.K., 1991. American Cetacean Society. Comments on Stellwagen Bank Draft Environmental Impact Statement, April, 1991.
- Kawasaki, H., Y. Hoshino, and K. Yamasato, 1993. Phylogenetic diversity of phototrophic purple non-sulfur bacteria in the Proteobacteria alpha group. *FEMS Microbiology Letters*, 112, 61-66.
- Keats, D.W., G.R. South, and D.H. Steele, 1985. Reproduction and egg guarding by Atlantic wolfish (*Anarhichas lupus*: Anarhichidae) and ocean pout (*Macrozoarces americanus*: Zoarcidae) in Newfoundland waters. *Canadian Journal of Zoology*, 63, 2565-2568.
- Keim, B.D., 1998. New England's Changing Climate, Weather, and Air Quality. The Climate Change Research Center. Retrieved from <http://www.neci.sr.unh.edu/neccwaq.html>.
- Keim, B.D., 1999a. Record Precipitation Total from the Coastal New England Rainstorm of 20-21 October, 1996. *Bulletin of the American Meteorological Society*, 79, 1061-1067.
- Keim, B.D., 1999b. Current Climate of the New England Region: New England regional Assessment. The Climate Change Research Center. Retrieved from <http://www.neci.sr.unh.edu/neccwaq.html>.
- Kelleher, K., 2005. Discards in the world's marine fisheries: an update. FAO Fisheries Technical Paper No. 470, Food and Agriculture Organization of the United Nations, Rome, Italy. 131 pp.
- Keller, M.D., T.H. Mague, M. Badenhausen, and H.E. Glover, 1982. Seasonal variations in the Production and consumption of Amino Acids by coastal Microplankton. *Estuarine, Coastal, and Shelf Science*, 15, 301-305.
- Kellert, S.R., 2005. Perspectives on an Ethic toward the Sea. *American Fisheries Society Symposium*, 41, 703-711.
- Kenney, R.D. and H.E. Winn, 1986. Cetacean high-use habitats of the Northeast United States Continental Shelf. *Fishery Bulletin*, 84, 345-357.
- Kenney, R.D. and K.F. Wishner, 1991. The South Channel Ocean Productivity Experiment: SCOPEX. Pergamon Press, New York, NY.
- Kenney, R.D., 1993. SCOPEX: A multi-disciplinary oceanographic study of Right Whale feeding habitat in the Gulf of Maine. Graduate School of Oceanography, University of Rhode Island, Narragansett, RI.
- Kenney, R.D., G.P. Scott, T.J. Thompson, and H.E. Winn, 1995. Estimates of prey consumption and trophic impacts of cetaceans in the USA Northeast continental shelf ecosystem. *Journal of Northwest Atlantic Fishery Science*, 22, 155-171.
- Kenney, R.D., C.A. Mayo, and H.E. Winn, 2001. Migration and foraging strategies at varying spatial scales in western North Atlantic right whales. *Journal of Cetacean Research and Management. Special Issue 2*, 251-260.
- Kerckhoff, L.J., M.A. Voytek, R.M. Sherrell, D. Millie, and O. Schofield, 1999. Variability in bacterial community structure during upwelling in the coastal ocean. *Hydrobiologia*, 401, 139-148.
- Ketten, D. R., 2000. Cetacean ears. In: *Hearing by Whales and Dolphins*. W. Au, A. N. Popper and R. R. Fay, eds., Springer-Verlag, New York, NY, 43-108.
- Knebel, H.J., and R.C. Circe, 1995. Seafloor environments within the Boston Harbor – Massachusetts Bay sedimentary system: a regional synthesis. *Journal of Coastal Research*, 11, 230-251.
- Kohlmeyer, J. 1985. Marine fungi (*Ascomycetes*) within and on tests of Foraminifera. *Marine Biology*, 90, 147-149.
- Kohlmeyer, J. and B. Volkmann-Kohlmeyer, 1991. Illustrated key to the filamentous higher marine fungi. *Botanica Marina*, 34, 1-61.
- Knowlton, A.R. and S.D. Kraus, 2001. Mortality and serious injury of northern right whale (*Eubalaena glacialis*) in the western North Atlantic Ocean. *Journal of Cetacean Research and Management (Special Issue)*, 2, 193-208.
- Knowlton, A.R., M.K. Marx, H.M. Pettis, P.K. Hamilton, and S.D. Kraus, 2005. Analysis of scarring on North Atlantic right whales (*Eubalaena glacialis*): monitoring rates of entanglement interaction 1980-2002. Final Report to the National Marine Fisheries Service, Contract #43EANF030107. Available from: New England Aquarium, Central Wharf, Boston, MA 02110.
- Kraus, S.D., P.K. Hamilton, R.D. Kenney, A.R. Knowlton, and C.K. Slay, 2001. Reproductive parameters of the North Atlantic right whale. *Journal of Cetacean Research and Management (Special Issue)*, 2, 231-236.
- Kraus, S.D., M.W. Brown, H. Caswell, C.W. Clark, M. Jujiwara, P.K. Hamilton, R.D. Kenney, A.R. Knowlton, S. Landry, C.A. Mayo, W.A. McLellan, M.J. Moore, D.P. Nowacek, A.D. Pabst, A.J. Read, and R.M. Rolland, 2005. North Atlantic Right Whales in Crisis. *Science*, 309, 561-562.
- Kunin, W.E., and K.J. Gaston, eds., 1997. *Biology of Rarity Causes and Consequences of Rare-Common Differences Series (Population and Community Biology Series)*, Springer, New York, NY. 300 pp.
- Kushlan, J.A., M.J. Steinkamp, K.C. Parsons, J. Capp, M. Acosta Cruz, M. Coulter, I. Davidson, L. Dickson, N. Edelson, R. Elliot, R.M. Erwin, S. Hatch, S. Kress, R. Milko, S. Miller, K. Mills., R. Paul, R. Phillips, J.E. Saliva, B. Sydeman, J. Trapp, J. Wheeler, and K. Wohl, 2002. Waterbird Conservation for the Americas: The North American Waterbird Conservation Plan, Version 1. Waterbird Conservation for the Americas, Washington, DC.
- Laist, D.W., J.M. Coe, and K.J. O'Hara, 1999. Marine debris pollution. In: *Conservation and Management of Marine Mammals*, J.R. Twiss, Jr., and R.R. Reeves, eds., Smithsonian Institution Press, Washington, D.C., 342-366.
- Laist, D.W., A.R. Knowlton, J.G. Mead, A.S. Collet, and M. Podesta, 2001. Collisions between ships and whales. *Marine Mammal Science*, 17, 35-75.
- Lahvis, G.P., R.S. Wells, D.W. Kuehl, J.L. Steward, H.L. Rhinehard, and C.S. Cia, 1995. Decreased lymphocyte responses in free-ranging bottlenose dolphins (*Tursiops truncatus*) are associated with increased concentrations of PCBs and DDT in peripheral blood. *Environmental Health Perspectives*, 103, Supplement 4, 67-72.
- Lambert, T. C., 1987. Duration and intensity of spawning in herring *Clupea harengus* as related to the age structure of

- the population. *Marine Ecology Progress Series*, 39, 209-220.
- Lambert, T.C., 1990. The effect of population structure on recruitment in herring. *Journal Du Conseil International pour l'Exploration de la Mer*, 47, 249-255.
- Langton, R.W., P.J. Auster, and D.C. Schneider, 1995. A spatial and temporal perspective on research and management of groundfish in the northwest Atlantic. *Reviews in Fisheries Science*, 3, 201-229.
- Langton, R.W., E.W. Langton, R.B. Theroux, and J.R. Uzmann, 1990. Distribution, Behavior and Abundance of Sea Pens, *Pennatulula aculeata*, in the Gulf of Maine. *Marine Biology*, 107, 463-469.
- Larson, R.J., 1976. Marine flora and fauna of the northeastern United States. *Cnidaria: Scyphozoa*. NOAA Technical Report, National Marine Fisheries Service Circular 397, 18 pp.
- Lavigne, D.M., and K.M. Kovacs, 1988. Harps and Hoods Ice Breeding Seals of the Northwest Atlantic. University of Waterloo Press, Waterloo, Ontario, Canada. 174 pp.
- Lawler, J.J., J.E. Aukema, J.B. Grant, B.S. Halpern, P. Kareiva, C.R. Nelson, K. Ohleth, J.D. Olden, M.A. Schlaepfer, B.R. Silliman, and P. Zaradic, 2006. Conservation science: a 20-year report card. *Frontiers in Ecology and the Environment*, 4, 473-480.
- Leaman, B.M., and R.J. Beamish, 1984. Ecological and management implications of longevity in some northeast Pacific groundfishes. *International North Pacific Fisheries Commission Bulletin*, 42, 85-97.
- Lee, L.L., 1992. A Description of the Nontidal Current Variability in Massachusetts and Cape Cod Bay During Spring/Summer 1990. Master's Thesis, University of New Hampshire, Durham, NH.
- Lermusiaux, P.F.J., 2003. Aspects of the physical and physical-biochemical dynamics of Massachusetts Bay and Stellwagen Bank. Presentation at the Sand Lance (Eels) Workshop, Massachusetts Fishermen's Partnership, Brighton, MA, November 24, 2003.
- Leslie, H.M., A.A. Rosenberg, and J. Eagle, 2008. Is a new mandate needed for marine ecosystem-based management? *Frontiers in Ecology and the Environment*, 6, 43-48.
- Levinton, J.S., 1995. *Marine Biology: Function, Biodiversity, Ecology*. Oxford University Press.
- Lewis, K.T., 1988. Survey of attitudes and knowledge of New England whalewatchers. Yale School of Forestry and Environmental Studies, New Haven, CT, unpublished.
- Lewis, E.J., S.M. McLaughlin, J.E. Bodammer, and T.K. Sawyer, 1992. Epitheliocystis in ten new host species of marine fish. *Journal of Fish Diseases*, 15, 267-271.
- Libby, P.S., J.D. Boyle, C.D. Hunt, G. Lescarbeau, 2006. 2005 Stellwagen Bank water quality monitoring report. Prepared for the Stellwagen Bank National Marine Sanctuary. Battelle, Duxbury, MA. Draft.
- Lindgarth, M., D. Valentinsson, M. Hansson, and M. Ulmestrand, 2000. Effects of trawling disturbances on temporal and spatial structure of benthic soft-sediment assemblages in Gullmarsfjorden, Sweden. *ICES Journal of Marine Science*, 57, 1369-1 376.
- Lindholm, J., 2005. Acoustic Tracking of Marine Fishes: Implications for the Design of Marine Protected Areas. *Marine Technology Journal*, 39, 7-9.
- Lindholm, J., L. Kaufman, L., M. Ruth, M. and P. Auster, 1998. A modeling approach to the design of marine refugia for fishery management. *Science & Management of Protected Areas*, 138-150.
- Lindholm, J.B., P.J. Auster, and L.S. Kaufman, 1999. Habitat-mediated survivorship of juvenile (0-year) Atlantic cod *Gadus morhua*. *Marine Ecology Progress Series*, 180, 247-255.
- Lindholm, J.B., P.J. Auster, M. Ruth, and L. Kaufman, 2001. Modeling the effects of fishing and implications for the design of marine protected areas: Juvenile fish responses to variations in seafloor habitat. *Conservation Biology*, 15, 424-437.
- Lindholm, J. and P. Auster, 2003. Site utilization by Atlantic cod (*Gadus morhua*) in off-shore gravel habitat as determined by acoustic telemetry: implications for the design of marine protected areas. *Marine Technology Society Journal*, 37, 27-34.
- Lindholm, J, P.J. Auster, and A. Knight, 2007. Site fidelity and movement of adult Atlantic cod *Gadus morhua* at deep boulder reefs in the western Gulf of Maine, USA. *Marine Ecology Progress Series*, 342, 239-247.
- Link, J., 2002. Does food web theory work for marine ecosystems? *Marine Ecology Progress Series*, 230, 1-9.
- Linn, D.M., and N.R. Krieg, 1978. Occurrence of two organisms in cultures of the type strain of *Spirillum lunatum*: proposal for rejection of the name *Spirillum lunatum* and characterization of *Oceanospirillum maris* subsp. *williamsea* and an unclassified vibrioid bacteria. Request for an opinion. *Inst. J. Syst. Bacteriol.*, 28, 132-138.
- Lobel, P.S., 2002. Reef fish courtship and mating sounds: unique signals for acoustic monitoring. In: Rountree *et al.*, eds., *Listening to Fish: Passive Acoustic Applications in Marine Fisheries*. Massachusetts Institute of Technology, Cambridge, MA, 54-57.
- Lom, J., A.V. Gayevskaya, and I. Dykova, 1980. Two microsporidian parasites found in marine fishes in the Atlantic Ocean. *Folia Parasitol*, 27, 197-202.
- Longhurst, A., 2002. Murphy's law revisited: longevity as a factor in recruitment to fish populations. *Fisheries Research*, 56, 125-131.
- Lotze, H. and I. Milewski, 2002. Two Hundred Years of Ecosystem and Food Web Changes in the Quoddy Region, Outer Bay of Fundy. Conservation Council of New Brunswick, Fredericton, NB, Canada. 188 pp.
- Lotze, H. and I. Milewski, 2004. Two centuries of multiple human impacts and successive changes in a North Atlantic food web. *Ecological Applications*, 14, 1428-1447.
- Lough, R.G., Valentine, P.C., Potter, D.C., Auditore, P.J., Bolz, G.R., Neilson, J.D. and R.I. Perry, 1989. Ecology and distribution of juvenile cod and haddock in relation to sediment type and bottom currents on eastern Georges Bank. *Marine Ecology Progress Series*, 56, 1-12.
- Lux, F, and G. Kelly, 1978. Fisheries resources of the Cape Cod and Massachusetts Bay region. National Marine Fisheries Service Environmental Assessment Report. May, 1978, p. 5-78
- Lyman, E.G. and D. McKiernan, 2004. Scale Modeling of Fixed Fishing Gear to Compare and Quantify Differently Configured Buoyline and Groundline Profiles: An Investigation of Entanglement Threat. Report submitted to National Oceanic and Atmospheric Administration, Massachusetts Division of Marine Fisheries, Massachusetts Conservation Plan, Gloucester, MA. 26 pp.

- Lynch, D.R., M.J. Holboke, and C.E. Namie, 1997. The Maine coastal current: spring climatological circulation. *Continental Shelf Research*, 17, 605-634.
- Lynch, D.R., W.C. Gentlemen, D.J. McGillicuddy, and C.S. Davis, 1998. Biological/physical simulations of *Calanus finmarchicus* population dynamics in the Gulf of Maine. *Marine Ecology Progress Series*, 169, 189-210.
- Lynch, D.R., 1999. Coupled Physical/Biological Models for the Coastal Ocean – A review of Modeling in the Gulf of Maine. *Naval Research Reviews*, 51, 1-15.
- Lyons, W.B.H.M.E., G.M. Smith, and A.D. Hewitt, 1980. The biogeochemistry of sediments in two Gulf of Maine basins. *Marine Chemistry*, 9, 307-320.
- McDonald, M. A., J.A. Hildebrand, and S.M. Wiggins, 2006. Increases in deep ocean ambient noise in the Northeast Pacific west of San Nicolas Island, California. *Journal of the Acoustical Society of America*, 120, 712-718.
- MacIassac, D.B. and W.T. Hotz, 1982. Massachusetts Marine Fisheries Policy Report. Massachusetts Department of Marine Fisheries, Massachusetts Marine Fisheries Advisory Commission.
- Maciolek, N.J., R.J. Diaz, D.T. Dahlen, B. Hecker, I.P. Williams, and C. Hunt, 2005. 2004 Outfall Benthic Monitoring Report. Massachusetts Water Resources Authority. Report ENQUAD 2005-15. Boston, MA. 134 pp.
- Macleod, K., R. Fairbairns, A. Gill, B. Fairbairns, J. Gordon, C. Blair-Myers, and E.C.M Parsons, 2004. Seasonal distribution of minke whales *Balaenoptera acutorostrata* in relation to physiography and prey off the Isle of Mull, Scotland. *Marine Ecology Progress Series*, 277, 263-274.
- Maihot, M.P., 2005. A New England Tropical Cyclone climatology 1938-2004: Direct Hits and Near Misses II. The Maine Hurricane Conference, Wells, ME. Retrieved from <http://home.maine.rr.com/mailhot/netrop.html>.
- MarineNews, 2006. Great Boats of 2006. December, 2006, 24-27.
- Maney, E.J., Jr., and J.P. Ebersole, 1990. Continuous reproduction and episodic recruitment of *Lacuna vincta* (Montagu, 1803) in the Gulf of Maine. *Veliger*, 33, 215-221.
- Mann, K.H. and Lazier, J.R.N., 1996. Dynamics of marine ecosystems: biological-physical interactions in the ocean. Boston, MA: Blackwell Science, 2nd Edition.
- Margulis, L. and K.V. Shwartz, 1998. Five Kingdoms: An Illustrated Guide to the Phyla of Life on Earth. W.H. Freeman and Company, New York, NY. 338 pp.
- Magurran, A.E., 2004. Measuring biological diversity. Blackwell Science, Ltd., Blackwell Publishing Company, Oxford, United Kingdom. 260 pp.
- McEachran, J.D. and J.A. Musick. 1975. Distribution and relative abundance of seven species of skate (*Pisces: Rajidae*) which occur between Nova Scotia and Cape Hatteras. *Fishery Bulletin*, 73, 110-136.
- Marshall, H.G., and M.S. Cohn, 1982. Seasonal Phytoplankton Assemblages in Northeastern Coastal Waters of the United States. NOAA Technical Memorandum NMFS-F/NEC15.
- Marshall, H.G. and M.S. Cohn, 1983. Distribution and composition of phytoplankton in northeastern coastal waters of the United States. *Estuarine, Coastal, and Shelf Science*, 17, 119-131.
- Marshall, H.G., 1984. Meso-scale distribution patterns for diatoms over the northeastern continental shelf of the United States. In: *International Diatom Symposium*. Volume 7, pp. 393-400, D.G. Mann, ed., Philadelphia, PA.
- Marteinsdottir, G., and A. Steinarsson, 1998. Maternal influence on the size and viability of cod (*Gadus morhua* L.) eggs and larvae. *Journal of Fish Biology*, 52, 1241-1258.
- Marteinsdottir, G., and K. Thorarinnsson, 1998. Improving the stock-recruitment relationship in Icelandic cod (*Gadus morhua*) by including age diversity of spawners. *Canadian Journal of Fisheries and Aquatic Sciences*, 55, 1372-1377.
- Martinez, A.J., 2003. Marine Life of the North Atlantic, Canada to New England. Aqua Quest Publications, Inc., New York, NY. 350 pp.
- MASSPORT, 2004. Ports: About the Port. <http://www.massport.com/ports/about.html>.
- MASSPORT, 2005. Comprehensive Financial Report, Year Ended 6/30/2005. Massachusetts Port Authority, Boston, MA. p. 100.
- MASSPORT, 2006a. Ports: About the Port. <http://www.massport.com/ports/about.html>.
- MASSPORT, 2006b. Request for Expressions of Interest (RFEI) To Construct and Operate a New Cruise Terminal in South Boston, Massachusetts. Massachusetts Port Authority, Maritime Department, Boston, MA. October 16, 2006. p. 1-3.
- Massachusetts Water Resources Authority, 1991. The State of Boston Harbor 2002: Mapping the Harbor's Recovery. December 20, 2004. Assessment in Boston Harbor Massachusetts Water Resources Authority, 2002. Massachusetts Bay Fact Sheet. Boston Harbor Outfall Project. ENQUAD Technical Report 92-3.
- Massachusetts Water Resources Authority, 2006. 2005 outfall monitoring overview. Environmental Quality Department report ENQUAD 2006-18. 105 pp.
- Mathieson, A.C., 1989. Phenological patterns of northern New England seaweeds. *Botanica Marina*, 32, 419-438.
- Matta, J.F., and H.G. Marshall, 1983. A multivariate analysis of phytoplankton population in the Gulf of Maine. In: Council Meeting of the International Council for the Exploration of the Sea, p. 14, ICES, Copenhagen, Denmark.
- Mauerer, R.O. and R.E. Bowman, 1985. Food consumption of squids (*Illex illecebrosus* and *Loligo pealei*) off the northeastern United States. In: *Biology and Ecology of the Squids Illex illecebrosus and Loligo pealei in the Northwest Atlantic*, Vol. 9, pp. 117-124, Dartmouth, NS, Canada.
- Mayer, L.M., D.F. Schick, R.H. Findley, and D.L. Rice, 1991. Effects of commercial dragging on sedimentary organic matter. *Marine Environmental Research*, 31, 249-261.
- Mayo, C.A. and M.K. Marx, 1990. Surface foraging Behavior of the North American Right Whale, *Eubalaena glacialis*, and Associated Zooplankton Characteristics. *Canadian Journal of Zoology*, 68, 2214-2220.
- McConnaughey, R.A., K.L. Mier, and C.B. Dew, 2000. An examination of chronic trawling effects on soft-bottom benthos of the eastern Bering Sea. *ICES Journal of Marine Science*, 57, 1337-1388.
- McFarland, R., 1911. A History of the New England Fisheries. University of Pennsylvania, Philadelphia, PA, D. Appleton and Co., New York. 470 pp.
- McHatton, S., 1999. Ecology and Physiology of Autotrophic Sulfur Bacteria from Sulfide-rich Seeps and marine Sediments. Dissertation Abstracts International Part B: Science and Engineering, 60, p. 481.
- McKiernan, D., M. Pol, and V. Malkoski, 2001. A study of the underwater profiles of lobster trawl groundlines. Massachusetts Division of Marine Fisheries, Boston, MA.

- McNaught, D., 2003. Summary report from Brown University on epifaunal invertebrates in piled boulder and pebble-cobble habitats. The Seafloor Habitat Recovery Monitoring Program (SHRMP) at the Stellwagen Bank National Marine Sanctuary: A Review of Sampling Effort and Results to Date. A Report to the Stellwagen Bank National Marine Sanctuary, NOAA/SBNMS, Scituate, MA.
- Meekan, M.G., and L. Fortier, 1996. Selection for fast growth during the larval life of Atlantic cod *Gadus morhua* on the Scotian Shelf. *Marine Ecology Progress Series*, 137, 25-37.
- Meeken, M.G., J.H. Carleton, C.R. Steinberg, A.D. McKinnon, R. Brinkman, P.J. Doherty, A. Halford, S. Duggan, and L. Mason, 2006. Turbulent mixing and mesoscale distributions of late-stage fish larvae on the NW shelf of Western Australia. *Fisheries Oceanography*, 15, 44-59.
- Meise-Munns, C., J. Green, M. Ingham, D. Mountain, 1990. Interannual variability in the copepod populations of Georges Bank and the western Gulf of Maine. *Marine Ecology Progress Series*, 65, 225-232.
- Messiah, S.N., T.W. Rowell, D.L. Peer, and P.J. Cranford, 1991. The effects of trawling, dredging, and ocean dumping on the eastern Canadian continental shelf seabed. *Continental Shelf Research*, 11, 1237-1263.
- Methven, D.A. and D.C. Schneider, 1998. Gear-independent patterns of variation in catch of juvenile Atlantic cod *Gadus morhua* in coastal habitats. *Canadian Journal of Fisheries and Aquatic Sciences*, 55, 1430-1442.
- Meyer, J.B., F.H. Midlge, and R.W. Langton, 1979. Relative abundance, behavior, and food habits of the American sand lance, *Ammodytes americanus*, from the Gulf of Maine. *United States National Marine Fisheries Service. Fishery Bulletin*, 77, 243-253.
- MIT Sea Grant (MITSG), 2004. Marine Invaders in the Northeast. Rapid Assessment Survey of Non-native and Native Marine Species of Floating Dock Communities. Prepared by J. Pederson, R. Bullock, J. Carlton, *et al.*, Massachusetts Institute of Technology Sea Grant College Program Publication Number 05-3. <http://web.mit.edu/seagrant>.
- MIT Sea Grant (MITSG), 2004. Ballast Water Exchange: Exploring the Feasibility of Alternate Ballast Water Exchange Zones in the North Atlantic - Workshop I. J. Pederson, ed. Massachusetts Institute of Technology Sea Grant College Program. 2004 MIT Sea Grant College Program Publication Number 04-2. <http://web.mit.edu/seagrant>.
- Monaghan, P. 1992. Seabirds and sandeels: the conflict between exploitation and conservation in the northern North Sea. *Biodiversity Conservation* 1, 98-111.
- Montevecchi, W. A., and R. A. Myers, 1997. Centurial and decadal oceanographic influences on changes in northern gannet populations and diets in the north-west Atlantic: Implications for climate change. *ICES Journal of Marine Science*, 54, 608-614.
- Mooney, H.A. and J.A. Drake, 1989. In: *Biological Invasions: A Global Perspective*, SCOPE 37. J.A. Drake, H.A. Mooney, F. di Castri, R.H. Groves, F.J. Kruger, M. Rejmanek and M. Williamson eds., John Wiley & Sons Ltd., Chichester, United Kingdom. 541 pp.
- Mooney-Seus, M.L. and J.E. Dianto, 2000. *Beyond Our Shores: Catching Fish in New England Waters*. New England Aquarium, Boston, MA. 95 pp.
- Moore M.J., S.C. Landry, B. Bowman, A.R. Knowlton, P.K. Hamilton, D.S. Rotstein, 2005. Morbidity and mortality of chronically injured North Atlantic right whales: a major welfare issue. 16th Biennial Conference on the Biology of Marine Mammals, San Diego CA, December 12-16, abstract page 197.
- Morgan, L.E. and R. Chuenpagdee, 2003. Shifting gears: addressing the collateral impacts of fishing methods in U.S. waters. *Pew Science Series*. Washington, D.C.: Pew Charitable Trust. Retrieved from <http://www.pewtrusts.com/ideas/index.cfm?page=8&name=Grantee%20Reports&issue=16>.
- Mullins, T.D., T.B. Britschgi, R.L. Krest, and S.J. Giovannoni, 1995. Genetic comparisons reveal the same unknown bacterial lineages in Atlantic and Pacific bacterioplankton communities. *Limnology and Oceanography*, 40, 148-158.
- Munoz, A.A., and F.P. Ojeda, 1998. Guild structure of carnivorous intertidal fishes of the Chilean coast: implications of ontogenetic dietary shifts. *Oecologia*, 114, 563-573.
- Murawski, S.A., J.J. Maguire, R.K. Mayo, F.M. Serchuk, 1997. Groundfish stocks and the fishing industry. In: *Northwest Atlantic groundfish: perspectives on a fishery collapse*, Boreman J., B.S. Nakashima, J.A. Wilson, and R.L. Kendall, eds., American Fisheries Society, Bethesda, MD, p. 27-70.
- Murphy, L.S. and E.M. Haugen, 1985. The distribution and abundance of phototrophic ultraplankton in the North Atlantic. *Limnology and Oceanography*, 30, 47-58.
- Murphy, M., 1995. Occurrence and group characteristics of minke whale, *Balenoptera acutorostrata*, in Massachusetts Bay and Cape Cod Bay. *Fishery Bulletin*, 93, 577-585.
- Murray, A.E., K.Y. Wu, C.L. Moyer, D.M. Karl, E.F. DeLong, 1999. Evidence for circumpolar distribution of planktonic Archaea in the Southern Ocean. *Aquatic Microbial Ecology*, 18, 263-273.
- Meyer, T., R. Cooper, and R. Langton, 1979. Relative abundance, behavior and food habits of the American sand lance, *Ammodytes americanus*, from the Gulf of Maine. *Fishery Bulletin*, 77, 243-254.
- Myers, N., 1988. Threatened biotas: "Hotspots" in tropical forests. *The Environmentalist*, 8, 187-208.
- Myers, N., R.A. Mittermeier, C.G. Mittermeier, G.A.B da Fonseca, and J. Kent, 2000. Biodiversity hotspots for conservation priorities. *Nature*, 403, 853-858.
- Myers, R., and B. Worm, 2003. Rapid worldwide depletion of predatory fish communities. *Nature*, 423, 280-283.
- National Ballast Information Clearinghouse (NBIC), 2001. Retrieved from <http://invasions.si.edu/nbic/index.html>.
- National Oceanic and Atmospheric Administration, 1993. *Stellwagen Bank National Marine Sanctuary. Final Environmental Impact Statement/Management Plan, Volume II: Sanctuaries and Reserves Division*, July 1993, Silver Spring, MD.
- National Oceanic and Atmospheric Administration, National Ocean Service, Office of Ocean and Coastal Resource Management, Marine Sanctuaries Division, 2000. *The Economic Contribution of the Whale Watching to Regional Economies, Perspectives from Two National Marine Sanctuaries*. Marine Sanctuaries Conservation Series MSD-00-3, Silver Spring, MD.
- National Oceanic and Atmospheric Administration, 2001. *Marine Mammal Stock Assessment Reports (SARS) by species and stock*. <http://www.nmfs.noaa.gov/pr/sars/species.htm>.
- National Oceanic and Atmospheric Administration. *Small Entity Compliance Guide, 2002. "NE Multispecies Recreational and Party/Charter Vessel Restrictions."* Gloucester, MA.

- National Oceanic and Atmospheric Administration, 2002. State of the Sanctuary Report. Gerry E. Studds Stellwagen Bank National Marine Sanctuary, Scituate, MA, 27 pp.
- National Oceanic and Atmospheric Administration, National Ocean Service, National Marine Sanctuary Program. Funding Requirements for the National Marine Sanctuary System, September 2004.
- National Oceanic and Atmospheric Administration, 2005a. New priorities for the 21st century: NOAA's strategic plan. NOAA, Washington, DC.
- National Oceanic and Atmospheric Administration, 2005b. Whale Watching Guidelines for the Northeast Region Including the Stellwagen Bank National Marine Sanctuary. Retrieved from <http://www.nero.noaa.gov/ro/doc/nr051999.pdf>.
- National Oceanic and Atmospheric Administration, 2005c. Marine Mammal Stock Assessment Reports (SARS) by species and stock. <http://www.nmfs.noaa.gov/pr/sars/species.htm>.
- National Oceanic and Atmospheric Administration, 2005d. Marine Mammal Stock Assessment Report: Minke Whale Canadian East Coast Stock. <http://www.nmfs.noaa.gov/pr/pdfs/sars/ao2005whmi-cae.pdf>.
- National Oceanic and Atmospheric Administration, 2006a. To Implement the Operational Measures of the North Atlantic Right Whale Ship Strike Reduction Strategy. NOAA/NMFS/DEIS, Silver Spring, MD. July 2006.
- National Oceanic and Atmospheric Administration, 2006b. Marine Mammal Stock Assessment Reports (SARS) by species and stock. <http://www.nmfs.noaa.gov/pr/sars/species.htm>.
- National Oceanic and Atmospheric Administration, 2007a. Atlantic Large Whale Take Reduction Plan (ALWTRP). October 19, 2007. <http://www.nero.noaa.gov/whaletrp>.
- National Oceanic and Atmospheric Administration, 2007b. Condition Report. Gerry E. Studds Stellwagen Bank National Marine Sanctuary, Scituate, MA, 40 pp.
- National Research Council, 1994: Metabolic Modifiers. Effects on the Nutrient Requirements of Food-Producing Animals. National Academy Press, Washington, DC.
- National Research Council, 2000. Clean Coastal Waters: Understanding and Reducing the Effects of Nutrient Pollution. National Academy Press, Washington, DC.
- National Research Council, 2001. Marine Protected Areas: Tools for Sustaining Ocean Ecosystems. National Academy Press, Washington, DC.
- National Research Council, 2002. Effects of Trawling and Dredging on Seafloor Habitat. National Academy Press, Washington, DC.
- National Research Council, 2003. Ocean Noise and Marine Mammals. Committee on the Impacts of Ambient Noise in the Ocean on Marine Mammals Report. National Academy Press, Washington, DC.
- National Research Council, 2005. Marine Mammal Populations and Ocean Noise: Determining When Noise Causes Biologically Significant Effects. National Academy Press, Washington, DC.
- Neat, F.C., P.J. Wright, A.F. Zuur, I.M. Gibb, F.M. Gibb, D. Tulett, D.A. Righton, and R.J. Turner, 2006. Residency and depth movements of a coastal group of Atlantic cod (*Gadus morhua* L.). *Marine Biology*, 148, 643-654.
- Nelson, G.A. and M.R. Ross, 1991. Biology and Population Changes of Northern Sand Lance (*Ammodytes dublus*) from the Gulf of Maine to the Middle Atlantic Bight. *Journal of Northwest Atlantic Fishery Science*, 11, 11-27.
- New England Fisheries Management Council, 2003. Final Amendment 13 to the Northeast Multispecies Fishery Management Plan Including a Final Supplemental Environmental Impact Statement and an Initial Regulatory Flexibility Analysis. New England Fishery Management Council, Newburyport, MA.
- Nisbet, I.C.T., 1981. Biological characteristics of the Roseate Tern *Sterna dougallii*. Unpublished Report to U.S. Fish & Wildlife Service, Office of Endangered Species. Massachusetts Audubon Society, Lincoln, Massachusetts. 112 pp.
- Nizinski, M.S., 2002. Sand lances. Family Ammodytidae. In: Bigelow and Schroeder's fishes of the Gulf of Maine: 496-505. B.B. Collette and G. Klein-MacPhee, eds. Smithsonian Books, Washington, DC, p. 496-505.
- Noji, T.T., S.A. Snow-Cotter, B.J. Todd, M.C. Tyrell, and P.C. Valentine, 2004. Gulf of Maine Initiative: A Framework for Ocean management. Gulf of Maine Council on the Marine Environment. 22 pp.
- Nold, S.C. and G. Zwart, 1998. Patterns and governing forces in aquatic microbial communities. *Aquatic Ecology*, 32, 17-35.
- O'Brien, L., 1999. Factors influencing the rate of sexual maturity and the effect on spawning stock for Georges Bank and the Gulf of Maine Atlantic cod *Gadus morhua* stocks. *Journal of Northwest Atlantic Fishery Science*, 25, 179-203.
- Offshore Magazine, July 2006. PennWell Corporation, publishers, Tulsa, OK, p. 58.
- Oldale, R.N., 1993. Geologic origins of Stellwagen Bank: The Cape Naturalist, 1993/1994, 27-31.
- Oldale, R., 2005. Geologic "Origins of Stellwagen Bank." Retrieved January 5, 2005 from <http://stellwagen.nos.noaa.gov/about/origins.html>. Reprinted from Cape Naturalist, 1993-1994.
- Olsen, E.M., H. Mikko, G.R. Lilly, M.J. Morgan, J. Bratney, B. Ernande, and U. Dieckmann, 2004. Maturation trends indicative of rapid evolution preceded the collapse of northern cod. *Nature*, 428, 932-935.
- Olson, M.H., 1996. Ontogenetic niche shifts in largemouth bass: variability and consequences for first year growth. *Ecology*, 77, 179-190.
- Osborn, T., 2000. Climatic Research Unit: Information Sheet 11 – North Atlantic Oscillation 2000. Retrieved July, 2000 from <http://www.cru.uea.ac.uk/cru/info/nao/>.
- Osenberg, C.W., G.G. Mittelbach, and P.C. Wainwright, 1992. Two-stage life histories in fish: the interaction between juvenile competition and adult performance. *Ecology*, 73, 255-267.
- Overholtz, W.J. and J.R. Nicolas, 1979. Apparent feeding by the fin whale, *Balaenoptera physalus*, and humpback whale, *Megaptera novaengliae*, on the American sand lance, *Ammodytes americanus*, in the northwest Atlantic. *Fishery Bulletin*, 77, 285-287.
- Overholtz, W.J., S.A. Murawski, and K.L. Foster, 1991. Impact of predatory fish, marine mammals, and seabirds on the pelagic fish ecosystem of the northeastern USA. ICES Marine Science Symposia, 193, 198-208.
- Overholtz, W.J., J.S. Link, and J.E. Suslowicz, 2000. Consumption of important pelagic fish and squid by predatory fish in the northeastern USA shelf ecosystem with some fishery comparison. *ICES Journal of Marine Science*, 57, 1147-1159.
- Overholtz, W.J., and J.S. Link, 2006. Consumption impacts by marine mammals, fish, and seabirds on the Gulf of Maine -

- Georges Bank Atlantic herring (*Clupea harengus*) complex during the years 1977-2002. ICES Journal of Marine Science, 64, 83-96.
- Pace III, R.M., S.D. Kraus, P.K. Hamilton, and A.R. Knowlton, 2007. Life on the edge: examining North Atlantic right whale population viability using updated reproduction data and survival estimates. Paper presented at the 17th Biennial Conference on the Biology of Marine Mammals, November 29-December 13, Cape Town, South Africa.
- Palakovich, J., and L. Kaufman. Estimating the importance of maternal age, size, and spawning experience to recruitment of Atlantic cod, *Gadus morhua*. Conservation Biology, in review.
- Palanques, A., J. Guillen, and P. Puig, 2001. Impact of bottom trawling on water turbidity and muddy sediment of an unfished continental shelf. Limnology and Oceanography, 46, 1100-1110.
- Palsboll, P.J., N. Rasmus, D.K. Mattila, and P.J. Clapham, 2001. Statistical approaches to paternity analysis in natural populations and applications to the North Atlantic humpback whale. Genetics Society of America, 157, 1673-1682.
- Patenaude, N., W.J. Richardson, M.A. Smultea, W.R. Koski, G.W. Miller, et al., 2002. Aircraft sound and disturbance to bowhead and beluga whales during spring migration in the Alaskan Beaufort Sea. Marine Mammal Science, 18, 309-335.
- Pauly, D., 1995. Anecdotes and the shifting baseline syndrome of fisheries. TRENDS in Ecology & Evolution, 10, 430.
- Pauly, D., V. Christensen, J. Dalsgaard, R. Froese, and F.C. Torres, Jr., 1998. Fishing down marine food webs. Science, 279, 860-863.
- Pauly, D., V. Christensen, J. Dalshaard, et al., 1998. Fishing down the marine food webs. Science, 279, 860-863.
- Pauly, D., V. Christensen, S. Guénette et al., 2002. Towards sustainability in world fisheries. Nature, 418, 689-695.
- Pauly, D. and MacLean, J., 2003. In a Perfect Ocean: The State of Fisheries and Ecosystems in the North Atlantic Ocean. Island Press, Washington, DC. 160 pp.
- Pawson, D.L., 1977. Marine flora and fauna of the northeastern United States. *Echinodermata: holothuroidea*. NOAA Technical Report NMFS Circular. 405. 15 pp.
- Payne, P.M. and Selzer, L.A., eds., 1986. Marine Mammals, Seabirds and Marine Turtles in the Gulf of Maine and Massachusetts Bay with Special Emphasis on the Locations of the Foul-Area Disposal Site and the Cape Arundel Disposal Site. Contract DACW 33-85-D-0002-003 to Sanford Ecological Services, Inc., Natick, MA.
- Payne, P., J.H. Nicholas, L. O'Brien, and K. Powers, 1986. The distribution of the humpback whale, *Megaptera novaeangliae*, on Georges Bank and in the Gulf of Maine in relation to densities of the sand eel, *Ammodytes americanus*. Fishery Bulletin, 84, 271-277.
- Payne, P.M., D.N. Wiley, S.B. Young, S. Pittman, P.J. Clapham, and J.W. Jossi, 1990. Recent fluctuations in the abundance of baleen whales in the southern Gulf of Maine in relation to changes in selective prey. Fishery Bulletin. 88, 687-696.
- Pedersen, S.A., P. Lewy, and P.J. Wright, 1999. Assessments of the lesser sand eel (*Ammodytes marinus*) in the North Sea based on revised stock divisions. Fisheries Research, 41, 221-241.
- Pederson, J., ed., 2003. Biological Invasions: patterns, processes and perspectives (Program number MITSG 03-211).
- Second International Conference on Marine Bioinvasions, New Orleans, LA. April 9-11, 2001. 5(1-2), 10143.
- Pederson, J., R. Bullock, J. Carlton, J. Dijkstra, N. Dobroski, et al., 2004. Marine Invaders in the Northeast: Rapid Assessment Survey of Non-native and Native Marine species of Floating Dock Communities. Massachusetts Institute of Technology Sea Grant College Program Publication No. 05-3.
- Perry, C. 1999. A review of the impact of anthropogenic noise on cetaceans. Report to the International Whaling Commission, SC/50/E9 (unpublished).
- Petersen, W.R., 1993. Birds of Massachusetts, Mass Audubon Society, Lincoln, MA. 529 p. [http://www.massaudubon.org/Birds\\_&\\_Beyond/IBAs/contact.php](http://www.massaudubon.org/Birds_&_Beyond/IBAs/contact.php).
- Pett, S. and C.J. McKay, 1990. Technical Report on the Resources and Used of Stellwagen Bank. In: Jack, H.A., ed. Part I. Proceedings of the Stellwagen Bank Conference, April 26-27, 1990, Urban Harbors Institute, University of Massachusetts, Boston, MA.
- Pettigrew, N.R., J.H. Churchill, C.D. Janzen, L.J. Mangum, R.P. Signell, et al., 2005. The kinematic and hydrographic structure of the Gulf of Maine Coastal Current. Deep Sea Research II, 52, 2369-2391.
- Piatt, J.F. and D.A. Methven, 1992. Threshold foraging behavior of baleen whales. Marine Ecology Progress Series, 84, 205-210.
- Pickett, S.T.A. and White, P.S., eds, 1985. The ecology of natural disturbance and patch dynamics. Academy Press, New York, NY. 472 pp.
- Pierce G.J., M. Morais-DaCunha, and A. Protowski, 2001. Impact of cephalopoda in the food chain and their interactions with the environment. Amsterdam Elsevier. Fisheries Research, 52, 5-10.
- Pilskaln, C.H., J.H. Churchill, and L.M. Mayer, 1998. Frequency of bottom trawling in the Gulf of Maine and speculations on the geochemical consequences. Conservation Biology, 12, 1223-1229.
- Pittman, S.J. and C.A. McAlpine, 2003. Movement of Marine Fish and Decopod Crustaceans: Process, Theory and Application. Advances in Marine Biology, 44, 205-294.
- Pittman, S. and F. Huettmann, 2006. An Ecological Characterization of the Stellwagen Bank National Marine Sanctuary Region (Chapter 4). National Center for Coastal Ocean Science, NOAA Technical Memorandum, Silver Spring, MD.
- Platt, D.D., R. Podolsky, H. Thurston, and J. Harvey, 1995. The top of the food chain: marine mammals and birds of the Gulf of Maine. In: From Cape Cod to the Bay of Fundy: An environmental Atlas of the Gulf of Maine. Conkling, P.W., ed., MIT Press, Cambridge, MA. p. 97-117.
- Polacheck, T., 1990. Year around closed areas as a management tool. Natural Resource Modeling, 4, 327-354.
- Powers, K.D., G.L. Pittman, and S.J. Fitch, 1980. Distribution of marine birds on the mid- and north-Atlantic U.S. outer continental shelf. Technical Progress Report. U.S. Department of Energy, Washington, DC. 165 pp.
- Powers, K.D., 1983. Pelagic distributions of marine birds off the northeastern United States. NOAA Technical Memorandum NMFS-F/NEC-27. U.S. Department of Commerce, Washington. D.C. 202 pp.
- Powers K. D., 1984. Pelagic Distribution of Marine Birds off the Northeastern United States. United States Department of Commerce National Oceanic and Atmospheric Administration-National Marine Fisheries Service.

- Northeast Fisheries Science Center, National Technical Information Service, Springfield, VA.
- Powers, K.D. and R.G.B. Brown, 1987. Seabirds. In: Georges Bank. Backus, R.H. and Bourne, D.W., eds., Massachusetts Institute of Technology Press, Cambridge, MA, p. 359-371.
- Rangeley, R.W. and P. Lawton, 1999. Spatial scaling of habitat distributions in the American lobster. *Journal of Shellfish Research*, 18, 307.
- Rago, P., and M. McSherry, 2001. Spatial distribution of fishing effort for sea scallops: 1998-2000. Conference on the Effects of Fishing Gear on Fish Habitat in the Northeastern U.S., October 23-25, 2001, Boston, MA.
- Rath, J., K.Y. Wu, G.J. Herndl, E.F. DeLong, 1998. High phylogenetic diversity in a marine-snow-associated bacterial assemblage. *Aquatic Microbial Ecology*, 14, 261-269.
- Read, A.J., 1994. Interactions between cetaceans and gillnet and trap fisheries in the Northwest Atlantic. In: Gillnets and Cetaceans, W.F. Perrin, G.P. Donovan, and J. Barlow eds., International Whaling Commission, Cambridge, MA, 133-148.
- Read, A.J. and C.R. Brownstein. 2003. Considering Other Consumers: Fisheries, Predators, and Atlantic Herring in the Gulf of Maine. *Conservation Ecology*, 7, p. 12.
- Reay, P.S. 1970. Synopsis of biological data on North Atlantic sand eels of the genus *Ammodytes*, *A. tobianus*, *A. dubius*, *A. americanus*, *A. marinus*. FOA Fisheries Synopses, 82, 1-52.
- Reeves, R.R., B.D. Smith, E.A. Crespo, and G.N. di Sciara, 2003. Dolphins, Whales and Porpoises: 2002-2010 Conservation Action Plan for the World's Cetaceans. The World Conservation Union, Species Survival Commission (IUCN/SSC) Cetacean Specialist Group. IUCN, Gland, Switzerland, and Cambridge, United Kingdom.
- Reijnders, P.J.H., A. Aguilar and G.P. Donovan, eds. 1999. Chemical pollutants and cetaceans. *Journal of Cetacean Research and Management (Special Issue) 1*, Cambridge, United Kingdom. 273 pp.
- Richards, S.W., 1965. Description of the postlarvae of the sand lance, *Ammodytes americanus*, from the east coast of North America. *Journal of Fish Resources Board Canada*, 22, 1313-1317.
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomsen, 1995. *Marine Mammals and Noise*. Academic Press, San Diego, CA. 171 pp.
- Richardson, W.J., and B. Wursig, 1997. Influences of man-made noise and other human actions on cetacean behavior. *Marine and Freshwater Behavior and Physiology*, 29, 183-209.
- Ricklefs, R.E., and D. Schluter, 1993. *Ecological Communities: Historical and Geographical Perspectives*. The University of Chicago Press, Chicago, IL. 414 pp.
- Ricklefs, R.E., and G.L. Miller, 2000. *Ecology*, Fourth Edition. W.H. Freeman and Company, New York, NY. 882 pp.
- Ricklefs, R.E., 2001. *The Economy of Nature*, Fifth Edition. W.H. Freeman and Company, New York, NY. 550 pp.
- Rieley, G., C.L. Dover, D.B. Hedrick, and G. Eglinton, 1999. Trophic ecology of *Rimicaris exulata*: a combined lipid abundance/stable isotope approach. *Marine Biology*, 133, 495-499.
- Riemann, B. and E. Hoffmann, 1991. Ecological consequences of dredging and bottom trawling in the Limfjord, Denmark. *Marine Ecology Progress Series*, 69, 171-178.
- Rijnsdorp, A.D., A.M. Buijs, F. Storbeck, and E. Visser, 1998. Micro-scale distribution of beam trawl effort in the southern North Sea between 1993 and 1996 in relation to the trawling frequency of the sea bed and the distribution of benthic organisms. *ICES Journal of Marine Science*, 55, 403-419.
- Robards, M.D., M.F. Armstrong, and J.F. Piatt, 1999. Sand lance: a review of biology and predator relations and annotated bibliography. USDA Forest Service Pacific Northwest Research Station Research Paper, U2-U3.
- Robbins, J., 2000. A review of scientific contributions from commercial whalewatching platforms. Unpublished report to the Scientific Committee of the International Whaling Commission. Adelaide, Australia.
- Robbins, J., 2007. Structure and dynamics of the Gulf of Maine humpback whale population. PhD Thesis. School of Biology, University of St. Andrews, Scotland. 168 pp.
- Robbins, J. and D. Mattila, 2000. Gulf of Maine humpback whale entanglement scar monitoring results 1997-1999. Final Report to the National Marine Fisheries Service, Order No. 40ENNF900253, National Marine Fisheries Service.
- Robbins, J. and D.K. Mattila, 2004. Estimating humpback whale (*Megaptera novaeangliae*) entanglement rates on the basis of scar evidence. Report to the National Marine Fisheries Service. Order number 43ENNF030121. 22 pp.
- Roberts, C., 2007. *The Unnatural History of the Sea*. Washington, DC: Island Press. 435 pp.
- Roberts, J.M., S.M. Harvey, P.A. Lamont, J.D. Gage, and J.D. Humphrey, 2000. Seabed photography, environmental assessment and evidence for deep-water trawling on the continental margin west of the Hebrides. *Hydrobiologia*, 441, 173-183.
- Robichaud, D., and G.A. Rose, 2004. Migratory behaviour and range in Atlantic cod: Inference from a century of tagging. *Fish and Fisheries*, 5 185-214.
- Rolland, R.K., K.R. Hunt, S.D. Kraus, and S.K. Wasser. 2005. Assessing reproductive status of right whales (*Eubalena glacialis*) using fecal hormone metabolites. *General and Comparative Endocrinology*, 142, 308-317.
- Rosenberg, A.A, W.J. Bolster, K.E. Alexander, W.B. Leavenworth, A.B. Cooper, and M.G. McKenzie, 2005. The History of Ocean Resources: Modeling Cod Biomass using Historical Records. *Frontiers in Ecology and the Environment*, 3, 84-90.
- Rosenberg, A.A., J.H. Swasey, and M. Bowman, 2006. Rebuilding US fisheries: progress and problems. *Frontiers in Ecology and the Environment*, 4, 303-308.
- Ross, S.T., 1986. Resource partitioning in fish assemblages: a review of field studies. *Copeia*, 2, 352-368.
- Round, F.E., R.M. Crawford, and D.G. Mann, 1990. *Diatoms: Biology and Morphology of the Genera*. Cambridge University Press, Cambridge, United Kingdom. 856 pp.
- Rountree, R., C., Goudey, T., Hawkins, J.J., Luczkovich and Mann, D., eds., 2002. Listening to Fish: Passive Acoustic Applications in Marine Fisheries. Proceedings from an International Workshop in Passive Acoustics, 8-10 April 2002, Massachusetts Institute of Technology Press, Cambridge, MA. 172 pp.
- Ruppert, E. and R. Fox, 1988. *Seashore animals of the southeast*. University of South Carolina Press, Columbia, SC. 429 pp.

- Ruppert, E., and R.D. Barnes, 1994. Invertebrate Zoology. Saunders College Publishing, Philadelphia, PA. 1056 pp.
- Russell, B., and A. Knowlton, 1999. Recommendations and findings on operation procedures, guidelines and regulations for vessels engaged in whale watching (both commercial and recreational) in the northeast NMFS region, and the Stellwagen Bank National Marine Sanctuary. Memorandum prepared for the Northeast Implementation Team, Ship-Strike Sub-Committee.
- Ryland, F.E. and P.J. Hayward, 1991. Marine flora and fauna of the northeastern United States. *Erect Bryozoa.*, National Oceanic and Atmospheric Administration, National Marine Fisheries Service.
- Ryman, N., F. Utter, and L. Laikre, 1995. Protection of intraspecific biodiversity of exploited fishes. *Reviews in Fish Biology and Fisheries*, 5, 417-446.
- Sainsbury, K.J., R. Campbell, R. Lindholm, and A.W. Whitelaw, 1997. Experimental management of an Australian multispecies fishery: examining the possibility of trawl-induced habitat modifications. In: *Global Trends: Fisheries Management*. Volume Symposium 20, E.K. Pckitch, D.D. Huppert, and M.P. Sissenwine, eds., American Fisheries Society, Bethesda, MD, 107-122.
- Sanchez, P., M. Demestre, M. Ramon, and M.J. Kaiser, 2000. The impact of otter trawling on mud communities in the northwestern Mediterranean. *ICES Journal of Marine Science*, 57, 1352-1358.
- Sawyer C. and J.R. Apel, J.R., 1976. Satellite Images of Ocean Internal-Waves Signatures. Boulder, CO National Oceanic and Atmospheric Administration, Environmental Research laboratory. National Oceanic and Atmospheric Administration S/T 2401.
- Scharf, F.S., J.P. Manderson, and M.C. Fabrizio, 2006. The effects of seafloor habitat complexity on survival of juvenile fishes: Species-specific interactions with structural refuge. *Journal of Experimental Marine Biology and Ecology*, 335, 167-176.
- Scheffer, M., S. Carpenter, and B. de Young, 2005. Cascading effects of overfishing marine systems. *Trends in Ecology and Evolution*, 20, 579-581.
- Schilling, M.R., I. Seipt, M.T. Weinrich, S.E. Frohock, A.E. Kulberg, and P.J. Clapham, 1992. Behavior of individually identified sei whales, *Balaenoptera borealis*, during an episodic influx into the southern Gulf of Maine in 1986. *Fishery Bulletin*, 90, 749-755.
- Schlee, J., D.W. Folger, C.J. O'Hara, 1973. Sediments on the Continental Northeastern United States-Cape Cod to Cape Ann, Massachusetts. U.S. Department of the Interior, United States Geological Survey, Miscellaneous Geologic Investigations, Map I-746.
- Schlitz, R.J. and E.B. Cohen, 1984. A nitrogen budget for the Gulf of Maine and Georges Bank. *Biological Oceanography*, 3, 203-222.
- Schneider, D.C., 1990. Seabirds and fronts: A brief overview. *Polar Research*, 8, 17-22.
- Schneider, D.C., 1997. Habitat selection by marine birds in relation to water depth. *Ibis*, 139, 175-178.
- Schreiber, E.A. and R.W. Schreiber, 1989. Insights into seabird ecology from a global 'natural experiment'. *National Geographic Research*, 5, 65-81.
- Schreiber, E. A. and J. Burger, eds., 2001. *Biology of marine birds*. CRC Press, Boca Raton, FL. 744 pp.
- Schreiber, E.A. and R.W. Schreiber, 1989. Insights into seabird ecology from a global 'natural experiment'. *National Geographic Research*, 5, 65-81.
- Schropp, S.J., M.I. Scranton, and J.R. Schwarz, 1987. Dissolved hydrogen, facultatively anaerobic, hydrogen-producing bacteria, and potential hydrogen production rates in the western North Atlantic Ocean and Gulf of Mexico. *Limnology and Oceanography*, 32, 396-402.
- Schweder, T., and G.S. Hagen, and E. Hatlebakk, 2000. Direct and indirect effects of minke whale abundance on cod and herring fisheries: A scenario experiment for the Greater Barents Sea. *NAMMCO Scientific Publications*, 2, 120-133.
- Scotti, A. and J. Pineda, 2004. Observation of very large and steep internal waves of elevation near the Massachusetts coast. *Geophysical Research Letters*, 31, L22307.
- Sears, J.R. and R.A. Cooper, 1978. Descriptive ecology of offshore, deep-water, benthic algae in the temperate western North Atlantic Ocean. *Marine Biology*, 44, 309-314.
- Secor, D.H., 2000a. Longevity and resilience of Chesapeake Bay striped bass. *ICES Journal of Marine Science*, 57, 808-815.
- Secor, D.H., 2000b. Spawning in the nick of time? Effect of adult demographics on spawning behavior and recruitment in Chesapeake Bay striped bass. *ICES Journal of Marine Science*, 57, 403-411.
- Sen Gupta, B.K., 1999. *Modern Foraminifera*. Kluwer Academic Publishers, 371 pp.
- Setlow L., 1973. Geological investigation of project nomes dredging site. Massachusetts Department of Natural Resources, Publication Number 6937.
- Shea, K., and P. Chesson, 2002. Community ecology theory as a framework for biological invasions. *TRENDS in Ecology & Evolution*, 17, 170-176.
- Sherburne, S.W. and L.L. Bean, 1979. Incidence and distributions of piscine erythrocytic necrosis and the microsporidian, *Glugea hertwigi*, in rainbow smelt, *Osmerus mordax*, from Massachusetts to the Canadian Maritimes, *Fishery Bulletin*, 77, 503-509.
- Sherman, K., 1976. Density Distribution of Copepods in coastal Feeding Grounds of Herring. International Commission for the Northwest Atlantic Fisheries, Resource Document 76/VI/82, Serial No. 3894.
- Sherman, K., 1991. The Large Marine Ecosystem Concept: Research and Management Strategy for Living Marine Resources. *Ecological Applications*, 1, 349-360.
- Sherman K, C. Jones, L. Sullivan, W. Smith, P. Derrien, L. Ejsymont, 1981. Congruent Sifts in Sand Eel Abundance in Western and Eastern North Atlantic Ecosystems. *Nature*, 291, 486-489.
- Sherman K., W. Smith, W. Morse, M. Berman, J. Green, and L. Ejsymont, 1984. Spawning strategies of fishes in relation to circulation, phytoplankton production, and pulses in zooplankton off the northeastern United States. *Marine Ecology Program Series*, 18, 1-19.
- Sherman, K., M. Grosslein, D. Mountain, D. Busch, J.O. Reilly, and R. Theroux, 1988. The Continental Shelf Ecosystem Off the Northeast Coast of the United State. In: *Ecosystem of the World 27, Continental Shelves* (Chapter 9), Institute for Sea Research, NMFS-F/NEC-15, Amsterdam, The Netherlands.
- Sherman, K, N.A. Jaworski, T.G. Smayda, eds., 1996. *The Northeast Shelf Ecosystem: Assessment, Sustainability,*

- and Management. Blackwell Science, Inc., Cambridge, MA. 579 pp.
- Shoop, C.R. and R.D. Kenney, 1992. Seasonal distributions and abundances of sea turtles off the northeastern United States: Herpetological Monographs, 6, 43–67.
- Signell, R.P., H.L. Jenter, and A.F. Blumberg, 2000. Predicting the physical effects of relocating Boston's sewage outfall. Estuarine, Coastal and Shelf Science, 50, 59-72.
- Silva, P.C., 1992. Geographic patterns of diversity in benthic marine algae. Pacific Science, 46, 429-439.
- Simmonds, E.J., and D.N. MacLennan, 2005. Fisheries acoustics: theory and practice. Blackwell Science, Oxford, United Kingdom, pp. 437.
- Simpson, A, 2003. An investigation of the cumulative impacts of shrimp trawling on mud bottom fishing grounds in the Gulf of Maine: effects on habitat and macrofaunal community structures. Master of Science Thesis, University of Maine, Orono, ME, December 2003.
- Simpson, A.W., and L. Watling, 2006. An investigation of the cumulative impacts of shrimp trawling on mud-bottom fishing grounds in the Gulf of Maine: effects on habitat and macrofaunal community structure, ICES Journal of Marine Science, 63, 1616-1630.
- Skinder, C.F., 2002. Marine protected areas in the Gulf of Maine: Policy for a common resource. Master's Thesis. University of Maine, Orono, ME.
- Smith, R.I., 1964. Keys to marine invertebrates of the Woods Hole region: a manual for the identification of the more common marine invertebrates. Marine Biological Laboratory, Woods Hole, MA. 215 pp.
- Smith, T. D.; D. Palka, and K. Bisack, 1993. Biological significance of bycatch of harbor porpoise in the Gulf of Maine demersal gillnet fishery. Northeast Fisheries Science Center. Reference Document 93-23. 15 pp.
- Smith, T.D., J. Allen, P.J. Clapham, P.S. Hammond, S. Katona, et al., 1999. An ocean-basin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). Marine Mammal Science, 15, 1-32.
- Smith, C.J., K.N. Papadopoulou, and S. Diliberto, 2000. Impact of otter trawling on an eastern Mediterranean commercial trawl fishing ground. ICES Journal of Marine Science, 57, 1340-1351.
- Smith, C.J., R.J. Coggan, R.J.A. Atkinson, K.-N. Papadopoulou, T.D.I. Stevenson, P.G. Moore, and I.D. Tuck, 2003. Comparison of rapid methodologies for quantifying environmental impacts of otter trawls. Final Report DG XIV Study Project No. 98/017 in Support of the Common Fisheries Policy. Journal of Experimental Marine Biology and Ecology.
- Soczek, M.L., 2006. An analysis of seabird bycatch in New England commercial fisheries. PhD Thesis, Department of Environmental Studies, Antioch New England Graduate School, Antioch University, Seattle, WA. 75 pp.
- Sogin, M.L., H.G. Morrison, J.A. Huber, D.M. Welch, S.M. Huse, R.R. Neal, J.M. Arrieta, G.J. Herndl, 2006. Microbial diversity in the deep sea and the underexplored "rare biosphere." Proceedings of the National Academy of Sciences, 103, 12115-12120.
- South, G.R. and I. Tittley, 1986. A checklist and distributional index of the benthic marine algae of the North Atlantic Ocean. Huntsman Marine Laboratory and the British Museum (Natural History), London, United Kingdom. 76 pp.
- Sparks-McConkey, P.J. and L. Watling, 2001. Effects on the ecological integrity of a soft-bottom habitat from a trawling disturbance. Hydrobiologia, 456, 73-85.
- Springer, A.M., J.F. Piatt, and G.B. Van Vliet, 1996. Seabirds as proxies of marine habitats and food webs in the western Aleutian Arc. Fisheries Oceanography, 5, 45-55.
- St. Martin, K. and M. Hall-Arber, 2006. Charting Fishing Communities at Sea: Revealing New Potentials for Participation in Fisheries Science and Management." ICES Proceedings 2006, Fishing Technology in the 21st Century, October 30-November 3, 2006, Boston, MA.
- Stachowicz, J.J., R.B. Whitlatch, and R.W. Osman, 1999. Species diversity and invasion resistance in a marine ecosystem. Science, 286, 1577-79.
- Steinback, S. and B. Gentner, B., 2001. Marine angler expenditures in the northeast region, 1998 NOAA Technical Memorandum NMFS-F/SPO-47. United States Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service.
- Steinback R.S. and A.W. Kitt, 1999. Data Needs for Economic Analysis of Fishery Management Regulations (NMFS-NE 119 P 10-11). United States Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Regional Office, Northeast Fisheries Science Center, National Technical Information Service, Springfield, VA.
- Steneck, R.S., R.A. Wahle, L.S. Incze, and D.F. Belknap, 1991. Patterns of distribution and abundance of lobsters in the Gulf of Maine: Ideas on the carrying capacity of their environment. Journal of Shellfish Research, 10, 1-300.
- Steneck, R.S., J. Vavrinc, and A.V. Leland, 2004. Accelerating Trophic-level Dysfunction in Kelp Forest Ecosystems of the Western North Atlantic. Ecosystems, 7, 323-332.
- Stevick, P.T., J. Allen, P.J. Clapham, S.K. Katona, F. Larsen, J. Iien, D.K. Mattila, P.J. Palsboll, R. Sears, J. Sigurjonsson, T.D. Smith, G. Vikingsson, N. Oien, and P.S. Hammond, 2006. Population spatial structuring on the feeding grounds in North Atlantic humpback whales (*Megaptera novaeangliae*). Journal of Zoology, 270, 244-255.
- Stevenson, D., L. Chirarella, D. Stephan, R. Reid, K. Wilhelm et al., 2004. Characterization of the Fishing Practices and Marine Benthic Ecosystems of the Northeast U.S. Shelf, and an Evaluation of the Potential Effects of Fishing on Essential Fish Habitat, NOAA Technical Memorandum, NMFS-NE-181, January 2004.
- Stevenson, D.K. and M.L. Scott, 2005. Essential Fish Habitat Source Document: Atlantic Herring, *Clupea harengus*, Life History and Habitat Characteristics (2nd edition). NOAA Technical Memorandum NMFS-NE-192. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, Massachusetts. 84 pp.
- Stickney, R.R., B. Costa-Pierce, D.M. Baltz, M. Drawbridge, C. Grimes, S. Phillips, and D.L. Swann, 2006. Toward Sustainable Open Ocean Aquaculture in the United States. Fisheries, 31, 607-610.
- Stoecker, D.K., A. Taniguchi, and A.E. Michaels, 1989. Abundance of autotrophic, mixotrophic and heterotrophic planktonic ciliates in shelf and slope waters. Marine Ecology Progress Series, 50, 241-254.

- Stubblefield, W.L. and D.B. Duane, 1988. Processes producing North America's east coast sand and gravel resources: A review. *Marine Mining*, 7, 89-122.
- Taggart, C.T. and A. Vanderlaan, 2003. Regional time/space conflicts in vessel traffic with right whales in the Bay of Fundy. Final Project Report, Dalhousie University, Oceanography Department, Halifax, NS, Canada. 16 pp.
- Tall, B.D., M. Crosby, D. Prince, J. Becker, G. Clerge, *et al.*, 1999. *Vibrio fluvialis* implicated in recent outbreaks among American lobsters. In: Annual Meeting of the National Shellfisheries Association. National Shellfisheries Association, Halifax, NS, Canada, Volume 1, 325-326.
- Tamsett, A., in preparation. Fishing Effects on Epifaunal Communities and the Role of Attached Epifauna as Fish Habitat. University of Connecticut at Avery Point, Groton, CT.
- Tasker M.L., C.J. Camphuysen, J. Cooper, S. Garthe, W.A. Montevecchi, and S.J.M. Blaber, 2000. The impacts of fishing on marine birds. *ICES Journal of Marine Science*, 57, 531-547.
- Tasker, M.L. and R.W. Furness, 2003. Seabirds as monitors of the marine environment. ICES Cooperative Research Report No. 258. International Council for the Exploration of the Sea, Copenhagen, Denmark. 73 pp.
- Taylor, W.R., 1957. Marine Algae of the Northeastern Coast of North America. University of Michigan Press, Ann Arbor, MI. 516 pp.
- Teegarden, G.J. and A.D. Cembella, 1996. Grazing of toxic dinoflagellates, *Alexandrium* spp., by adult copepods of coastal Maine: Implications for the fate of paralytic shellfish toxins in marine foods webs. *Journal of Experimental Marine Biology and Ecology*, 196, 145-176.
- Tegner, M., and P. Dayton, 1999. Ecosystem effects of fishing. *Trends in Ecology and Evolution*, 14, 261-262.
- Theroux, R.B., 1998. Quantitative Composition and Distribution of the Macrobenthic invertebrate fauna of the Continental Shelf Ecosystem of the Northeastern United States (Technical Report). National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Seattle, WA.
- Theroux, R.B. and M.D. Grosslein, 1987. Benthic Fauna. In: Georges Bank. R.H. Backus and D.W. Bourne, eds, Massachusetts Institute of Technology Press, Cambridge, MA. p. 283-295.
- Theroux, R.B. and R.L. Wigley, 1998. Quantitative Composition and Distribution of the Macrobenthic Invertebrate Fauna of the Continental Shelf Ecosystems of the Northeastern United States, United States Department of Commerce, NOAA Technical Report, NMFS 140. Seattle, WA.
- Thronsdon, J., B.R. Heimdal, and C.R. Tomas, 1993. Marine Phytoplankton: A Guide to Naked Flagellates and Coccolithophorids, Academic Press, Inc., New York, NY. 263 pp.
- Thrush, S.F., R.D. Pridmore, and J.E. Hewitt, 1994. Impacts on soft-sediment macrofauna: the effects of spatial variation on temporal trends. *Ecological Applications*, 4, 31-41.
- Thrush, S.F., J.E. Hewitt, V.J. Cummings, P.K. Dayton, M. Cryer, S.J. Turner, G.A. Funnell, R.G. Budd, C.J. Milburn, and M.R. Wilkinson, 1998. Disturbance of the marine benthic habitat by commercial fishing: impacts at the scale of the fishery. *Ecological Applications*, 8, 866-879.
- Thrush, S.F., J.E. Hewitt, G.A. Funnell, V.J. Cummings, J. Ellis, D. Schultz, D. Talley, and A. Norkko, 2001. Fishing disturbance and marine biodiversity: role of habitat structure in simple soft-sediment systems. *Marine Ecology Progress Series*, 221, 255-264.
- Tomas, C.R., 1995. Identifying Marine Diatoms and Dinoflagellates. Academic Press, London, United Kingdom. 598 pp.
- Tomas, C.R., 1997. Identifying Marine Phytoplankton. Academic Press, Boston, MA. 858 pp.
- Townsend, D.W. and L.M. Cammen, 1985. A deep protozoan maximum in the Gulf of Maine. *Marine Ecology Progress Series*, 24, 177-182.
- Townsend, D.W., J.P. Christensen, D.K. Stevenson, J.J. Graham, and S.B. Chenoweth, 1987. The importance of a plume of tidally-mixed water to the biological oceanographer of the Gulf of Maine. *Journal of Marine Research*, 45, 699-728.
- Townsend, D.W., L.M. Cammen, J.P. Cristensen, S.G. Ackleson, and M.D. Keller, 1990. Oceanographic Conditions in Massachusetts Bay: 24 October 1989 Cruise Results (Technical Report No. 73). Bigelow Laboratory for Ocean Science and the Massachusetts Water Resources Authority, West Boothbay Harbor, ME.
- Townsend, D.W., 1991. Influences of oceanographic processes on the biological productivity of the Gulf of Maine. *Reviews in Aquatic Sciences*, 5, 211-230.
- Tremblay, M.J. and J.T. Anderson, 1984. Annotated species list of marine planktonic copepods occurring on the shelf and upper slope of the northwest Atlantic Gulf of Maine to Ungava Bay. Canadian Special Publication of Fisheries and Aquatic Sciences, 69, 1-12.
- TRIGOM, 1974. A socio-economic and environmental inventory of the north Atlantic region. Submitted to the Bureau of Land Management, Marine Minerals Division by The Research Institute of the Gulf of Maine (TRIGOM).
- Trippel, E.A., O.S. Kjesbu, and P. Solemdal, 1997. Effects of adult age and size structure on reproductive output in marine fishes. In: Early Life History and Recruitment in Fish Populations. R.C. Chambers and E.A. Trippel, eds, Chapman and Hall, New York, NY, p. 31-62.
- Tucholke, B. E., and C.D. Hollister, 1973. Late Wisconsin glaciation of the southwestern Gulf of Maine, new evidence from the marine environment. *Geological Society of America Bulletin*, 84, 3279-3296.
- Tuck, I.D., S.J. Hall, M.R. Robertson, E. Armstrong, and D.J. Basford, 1998. Effects of physical trawling disturbance in a previously unfished Scottish sea loch. *Marine Ecology Progress Series*, 162, 227-242.
- Tudela, S., 2004. Ecosystem effects of fishing in the Mediterranean: an analysis of fishing gear and practices to biodiversity and marine habitats. General Fisheries Commission for the Mediterranean Studies and Review No. 74. UNEP Food and Agriculture Organization of the United Nations, Rome, Italy.
- Tupper, M. and R.G. Boutilier, 1995. Effects of Habitat on Settlement, Growth, and Postsettlement Survival of Atlantic Cod (*Gadus morhua*). *Canadian Journal of Fisheries and Aquatic Sciences*, 52, 1834-1841.
- United Nations Atlas of the Oceans, 2004. Retrieved February 16, 2004, from <http://www.oceanatlas.org/CDSServlet?status=ND01NyZjdG5faW5mb192aWV3X3NpemU9Y3RuX2luZm9fdmild>.
- United States Army Corps of Engineers, 2004. DAMOS: Disposal Area Monitoring, Massachusetts Bay, Massachusetts. December 20, 2004. <http://www.nae.usace.army.mil/damos>

- United States Coast Guard, 2006. USCG Draft Environmental Impact Statement, Volume 1 of 1 for Neptune, L.L.C Liquefied Natural Gas Deepwater Port Application, DOT Docket Number: USCG-2004-22611. Section 3.3 Maritime Traffic and Environment, 4-18.
- USATODAY, 2007. "10 great places to catch a whale of a sighting," R. Schoolmeester, [http://www.usatoday.com/travel/destinations/10great/2007-05-24-whale-watching-spots\\_N.htm](http://www.usatoday.com/travel/destinations/10great/2007-05-24-whale-watching-spots_N.htm) (accessed May 29, 2007).
- Vadas, R.L. and R.S. Steneck, 1988: Zonation of deep water benthic algae in the Gulf of Maine. *Journal of Phycology*, 24, 338-346.
- Valentine, P.C., T.J. Middleton, and S.J. Fuller, 2001. Seafloor maps showing topography, sun-illuminated topography, and backscatter intensity of Stellwagen Bank National Marine Sanctuary region off Boston, Massachusetts (Open-File Report 00-410). U.S. Geological Survey.
- Valentine, P.C., L.A. Scully, and S.J. Fuller, 2005. Distribution of boulder ridges and bedrock outcrops in the Stellwagen Bank National Marine Sanctuary region: U.S. Geological Survey Scientific Investigations Series Map I-2840-F, 3 sheets, scale 1:60,000, DVD-ROM. Retrieved from <http://pubs.usgs.gov/sim/2005/2840/>.
- Valentine, P., R. Reid, and J. Collie, 2006. Invasive Sea Squirrels Persist on Georges Bank Fishing Grounds. *United States Geological Survey, Sound Waves*, 8, 1-3.
- Vallee, D.R. and M.R. Dion, 1998. Southern New England Tropical Storms and Hurricanes: A Ninety-eight Year Summary 1909-1997. National Weather Service, Taunton, MA.
- Vanderlaan, A.S.M. and C.T. Taggart, 2007. Vessel Collisions with Whales: The Probability of Lethal Injury Based on Vessel Speed. *Marine Mammal Science*, 23, 144-156.
- Vermeij, G.J., 1991. Anatomy of an invasion: the trans-Arctic interchange. *Paleobiology*, 17, 281-307.
- Vermersch, J., R. Beardsley, and W. Brown. 1979. Winter circulation in the western Gulf of Maine: Part 2. Current and pressure observations. *Journal of Physical Oceanography*, 9, 786-784.
- Vetriani, C., H.W. Jannasch, B.J. MacGregor, D.A. Stahl, and A.L. Reysenbach *et al.*, 1999. Population structure and phylogenetic characterization of marine benthic Archaea in deep-sea sediments. *Applied and Environmental Microbiology*, 65, 4375-4384.
- Villarlad-Bohnsack, M., 1995. Illustrated key to the seaweeds of New England.
- Visbeck, M., E. Chassignet, R. Curry, R., T. Delworth, B. Dickson and G. Krahnmann, 2003. The Ocean's Response to North Atlantic Oscillation Variability. In: *The North Atlantic Oscillation. Geophysical Monograph Series*. J.W. Hurrell, Y. Kushnir, Y., G. Ottersen, G. and M. Visbeck, eds., 134, 113-146.
- Von Brandt, A., 1984. *Fish Catching Methods of the World*. Fishing News Books Ltd., London, United Kingdom. 418 pp.
- Votier, S.C., R.W. Furness, S. Bearhop, J.E. Crane, R.W.G. Caldow, P. Catty, K. Ensor, K.C. Hamer, A.V. Hudson, E. Kalmbach, N.I. Klomp, S. Pfeiffer, R.A. Phillips, I. Prieto, and D.R. Thompson, 2004. Changes in fisheries discard rates and seabird communities. *Nature*, 427, 727-730.
- Wahle, R., 1995. Trans-Atlantic comparison of the decapods of cobble habitats: Implications for the biogeography of housing shortages? In: *Benthic Ecology Meeting*, Vol. 23, J.P. Grassle, A. Kelsey, E. Oates, and P.V. Snelgrove, eds., New Brunswick, NJ.
- Ward, N.F.R., 1995. *Stellwagen Bank: A Guide to the Whales, Sea Birds, and Marine Life of the Stellwagen Bank National Marine Sanctuary*. Down East Books, Camden, ME. 232 pp.
- Ward-Geiger L.I., G.K. Silber, R.D. Baumstark, and T.L. Pulfer, 2005. Characterization of Ship Traffic in Right Whales Critical habitat. *Coastal Management*, 33, 263-278.
- Ware, C., R. Arsenault, M. Plumlee, and D. Wiley, 2006. Visualizing the Underwater Behavior of Humpback Whales. *IEEE Computer Graphics and Applications*, 26, 14-18.
- Waring, G.T., P. Gerrior, M.P. Payne, and J.R. Nicolas, 1990. Incidental take of a marine mammals in foraging fishery activities off the northeast United States, 1977-88. *Fishery Bulletin*, 88, 347-360.
- Waring, G.T., J.M. Quintal, and S.L. Swarz, eds., 2001. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments-2001. NOAA Technical Memorandum NMDS-NE 168:1-307.
- Watling, L. and E.A. Norse, 1998. Disturbance of the Seabed by Mobile Fishing Gear: A Comparison to Forest Clearcutting. *Conservation Biology*, 12, 1180-1197.
- Watling, L., R.H. Findlay, L.M. Mayer, D.F. Schick, 2001. Impact of a scallop drag on the sediment chemistry, microbiota, and faunal assemblages of a shallow subtidal marine benthic community. *Journal of Sea Research*, 46, 309-324.
- Watling, L. and P.J. Auster, 2005. Distribution of deep-water Alcyonacea off the Northeast Coast of the United States. In: *Cold-water Corals and Ecosystems*. A. Freiwald, and J.M. Roberts, eds., Springer-Verlag, Berlin, Heidelberg, p. 279-296.
- Weinrich, M., M. Martin, R. Griffiths, J. Bove, and M. Schilling, 1997. A shift in distribution of humpback whales, *Megaptera novaeangliae*, in response to prey in the southern Gulf of Maine. *Fishery Bulletin*, 95, 826-836.
- Weinrich, M. 1998. Early experience in habitat choice by humpback whales (*Megaptera novaeangliae*). *Journal of Mammalogy*, 79, 163-170.
- Weinrich, M., 1999. Behavior of a Humpback Whale (*Megaptera novaeangliae*) upon Entanglement in a Gill Net. *Marine Mammal Science*, 15, 559-563.
- Weinrich, M.T., Kenney, R.D., and Hamilton, P.K., 2000. Right whales, *Eubalaena glacialis*, on Jeffrey's Ledge: A habitat of unrecognized importance? *Marine Mammal Science*, 16, 326-337.
- Weinrich, M.T. 2005. A review of collisions between whales and whale watch boats. Paper SC/57/WW8, presented to the International Whaling Commission 57th Annual Meeting, 20-24 June 2005, Ulsan, Korea.
- Weisbrod, A.V., D. Shea, M.J. Moore, and J.J. Stegman, 2000. Organochlorine exposure and bioaccumulation in the endangered northwest Atlantic right whale (*Eubalaena glacialis*) population. *Environmental Toxicology and Chemistry*, 19, 654-666.
- Weisbrod, A. V., D. Shea, M.J. Moore, and J.J. Stegman, 2001. Species, tissue and gender-related organochlorine bioaccumulation in white-sided dolphins, pilot whales and their common prey in the Northwest Atlantic. *Marine Environmental Research*, 51, 29-50.
- Wenz, G.M., 1962. Acoustic ambient noise in the ocean: spectra and sources. *Journal of the Acoustical Society of America*, 34, 1936-1956.

- Werme, C., and C.D. Hunt, 2006. 2005 outfall monitoring overview. Report ENQUAD 2006-18, Massachusetts Water Resources Authority, Boston, MA. 105 p.
- Werme, C., and C.D. Hunt, 2007. 2006 outfall monitoring overview. Report ENQUAD 2007-12, Massachusetts Water Resources Authority, Boston, MA. 95 p.
- Werner, E.E., and J.F. Gilliam, 1984. The ontogenetic niche and species interactions in size-structured populations. *Annual Review of Ecology and Systematics*, 15, 393-425.
- Wichels, A., S.S. Biel, H.R. Gelderblom, T. Brinkhoff, G. Muyzer, and C. Schutt, 1998. Bacteriophage diversity in the North Sea. *Applied and Environmental Microbiology*, 64, 4128-4133.
- Widdicombe, S., M.C. Austen, M.A. Kendall, F. Olsgard, M.T. Schanning, S.L. Dashfield, and H.R. Needham, 2004. Importance of bioturbators for biodiversity maintenance: indirect effects of fishing disturbance. *Marine Biology Progress Series*, 275, 1-10.
- Wiley, D.N., V.A. Capone, D.A. Carey and J.P. Fish, 1991. Location survey and condition inspection of waste containers at the Massachusetts Bay Industrial Waste Site. Final report to the U.S. Environmental Protection Agency, Region 1, Boston, MA. 68 pp.
- Wiley, D.N., J.C. Moller, and K.A. Silinskas, 2003a. The distribution and density of commercial fisheries and baleen whales within the Stellwagen Bank National Marine Sanctuary: July 2001-June 2002. *Marine Technology Society Journal*, 37, 35-53.
- Wiley, D.N., J. Moller, K.A. Zilinskas, and M. Thompson, 2003b. Quantifying the Spatial and Temporal Risk of Baleen Whale Entanglement within the Stellwagen Bank National Marine Sanctuary." Presented at the 15th Biennial Conference on the Biology of Marine Mammals, 14-19 December 2003, Greensboro, NC.
- Wiley, D.N., C. Ware, K.L. Barton, K.A. Shorter, M.P. Johnson, R. M.R. Arsenault, and M. Weinrich, 2005a. Underwater behavior of humpback whales in a western North Atlantic foraging area. 16th Biennial Conference on the Biology of Marine Mammals, December 12-16, 2005, San Diego, CA.
- Wiley, D.N., J.C. Moller, and C. Carlson, 2005b. Are Voluntary Agreements Effective Conservation Tools? A Case Study using Endangered Whales and Commercial Whale Watching in the Stellwagen Bank National Marine Sanctuary. Report to the International Whaling Commission, 57th Annual Meeting, Ulsan, South Korea, 20-24 June 2005.
- Wiley, D.N., C. Ware, M. Weinrich, T. Hurst, and R. Arsenault, 2006. Unpublished data from DTAG studies of the underwater behavior of humpback whales in the SBNMS; 5-20 July 2006.
- Wiley, D.N., J.C. Moller, R.M. Pace, III, and C. Carlson. Effectiveness of voluntary conservation agreements: Case study of endangered whales and commercial whale-watching. *Conservation Biology*, in press.
- Winters, G.H., and E.L. Daily, 1988. Meristic composition of sand lance (*Ammodytes* sp.) in Newfoundland waters with a review of species designations in the Northwestern Atlantic. *Canadian Journal of Fisheries and Aquatic Sciences*, 45, 516-529.
- Wishner, K.E., A. Durbin, M. Macaulay, H. Win, and R. Kenny, 1988. Copepod patches and right whales in the great south channel off New England. *Bulletin of Marine Science*, 43, 825-844.
- Witman, J.D., 1985. Refuges, biological disturbances, and rocky subtidal community structure in New England. *Ecological Monographs*, 55, 421-445.
- Witman, J.D., 1987. Subtidal coexistence: storms, grazing, mutualism, and the zonation of kelp and mussels. *Ecological Monographs*, 57, 167-187.
- Witman, J.D., J.J. Leichter, S.J. Genovese, and D.A. Brooks, 1993. Pulsed phytoplankton supply to the rocky subtidal zone: Influence of internal waves. *Proceedings of the National Academy of Sciences*, 90, 1686-1690.
- Witman J.D., R.J. Etter, and F. Smith, 2004. The relationship between regional and local species diversity in marine benthic communities: A global perspective. *Proceedings of the National Academy of Sciences*, 101, 15664-15669.
- Witman, J.D. and K.P. Sebers, 1993. Rocky Subtidal Communities in Massachusetts Bay: Lovell's Island to Nahant Transect; a Final Report. 1991-1992 Sampling Period. Massachusetts Water Resource Authority, Boston, MA.
- Worm, B., E.B. Barbier, N. Beaumont, J. Emmett Duffy, C. Folke, et al., 2006. Impacts of Biodiversity Loss on Ocean Ecosystem Services, *Science*, 314, 787-790.
- Wright, P.J., and F.M. Gibb, 2005. Selection for birth date in North Sea haddock and its relation to maternal age. *Journal of Animal Ecology*, 74, 303-312.
- Wright, P.J., E. Galley, I.M. Gibb, and F.C. Neat, 2006. Fidelity of adult cod to spawning grounds in Scottish waters. *Fisheries Research*, 77, 148-158.
- Wynne-Edwards, V.C., 1935. The habits and distribution of birds on the North Atlantic. *Proceedings of the Boston Society of Natural History*, 40, 233-346.
- Xue, H., Y. Xu, D. Brooks, N. Pettigrew, and J. Wallinga, 1999. Modelling the circulation in Penobscot Bay, Maine. *Estuarine and Coastal Modeling Proceedings of the Conference of American Society of Civil Engineers*, 1112-11127.
- Xue, H., F. Chai, and N.R. Pettigrew, 2000. A model study of the seasonal circulation in the Gulf of Maine. *American Meteorological Society*, 30, 1111-1135.
- Yen, P.P.W., F. Huettmann, and F. Cooke, 2004a. A large-scale model for the at-sea distribution and abundance of Marbled Murrelets (*Brachyramphus marmoratus*) during the breeding season in coastal British Columbia, Canada. *Ecological Modelling*, 171, 395-413.
- Yen, P.P.W., W.J. Sydeman, and D.K. Hyrenbach, 2004b. Marine bird and cetacean associations with bathymetric habitats and shallow-water topographies: implications for trophic transfer and conservation. *Journal of Marine Systems*, 50, 79-99.
- Yost, W.A., 1994. *Fundamentals of Hearing: An Introduction*. Third Edition. Academic Press, New York, NY. 349 pp.
- Zubkov, M.V., M.A. Sleight, G.A. Tarran, P.H. Burkill, and R.J. Leakey, 1998. Picoplanktonic community structure on an Atlantic transect from 50 degree N to 50 degree S. *Deep Sea Research I*, 45, 1339-1355.
- Zumarraga, M.J., A. Bernardelli, R. Bastida, V. Quse, J. Loureiro, A. Cataldi, F. Bigi, A. Alito, M. Ramos Castro, S. Samper, et al., 1999. Molecular characterization of mycobacteria isolated from seals. *Microbiology*, 145, 2519-2526.